



kumar properties <kumarworldcompliance2025@gmail.com>

Six Monthly Compliance Report for period April 2022 to September 2022 for project - Kumar Kering Developers LLP

kumar properties <kumarworldcompliance2025@gmail.com>

Thu, Dec 1, 2022 at 4:00 PM

To: ecompliance-mh@gov.in

Bcc: moef1@kumarworld.com

Dear Sir/Madam,

Please find the Post EC Compliance Report attached herewith for Period April 2022 to September 2022 of Residential project proposed on plot bearing Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune Maharashtra by Kumar Kering Developers LLP, with reference to Environmental Clearance Letter No. SEAC-2010/CR 776/TC-2 dated 25th July 2013 and subsequent EC having dated 16th October, 2017.

 [POEC report_Palm Spring_April to Sept 2022.pdf](#)

Hope this is in line with your requirement.

Thanking you

Yours Sincere

Kumar Kering Developers LLP



KUMAR KERING DEVELOPERS LLP

Kumar Capital, 2413, East Street, Camp, Pune - 411 001. Ph. No. : 020 30528888, 30583635 Fax : 020 26353365
Website : www.kumarworld.com Email ID : contact@kumarworld.com LLPIN : AAG-0951

Date: -30/11/2022

To
The Chairman, SEIAA,
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032.

Sub: Post EC Compliance Report for the Period of April 2022 to September 2022 of Residential & Commercial Project at S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune, Maharashtra by Kumar Kering Developers LLP.

Ref.: 1. Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013.
2. EC received from PMRDA No. TPS-1816/CR-443/16-DP Directors/UD-13, dated 16th October, 2017.

Dear Sir/Madam

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential & Commercial Project for the period of April 2022 to September 2022.

Hope this is in line with your requirement.

Thanking you

For **Kumar Kering Developers LLP**

CC: 1. MPCB -The Member Secretary, Kalpataru Point, 3rd and 4th floor,
Opp. Cine Planet, Sion Circle, Sion, Mumbai, Maharashtra 400022.

Mail: MoEF- Regional Office, (WCZ), Ground floor, East Wing, New Secretariat Building, Civil Lines Nagpur-440001.

dy
5-12-2022
महाराष्ट्र प्रदूषण नियंत्रण मंडळ
कल्पतरु पॉइंट, २ रा मजला, सावन सर्कल,
सिनेप्लेनट समोर, सायन (पूर्व),
मुंबई - ४०००२२.
फोन :- २४०१०४३७ / २४०२०७८९
Website www.mpcb.gov.in

SIX MONTHLY COMPLIANCE REPORT

OF

Residential & Commercial Project

AT

**S.NO. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4,
12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3,
13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune
Maharashtra**

Being developed by

Kumar Kering Developers LLP

FOR

APRIL 2022 TO SEPTEMBER 2022

TABLE OF CONTENTS

Sections	Particulars
Section 1	Purpose of the Report
Section 2	Project Details
Section 3	Present Site Conditions
Section 4	Post Environment Clearance Compliance Report
Section 5	Monitoring and Analysis

LIST OF ANNEXURES

Annexures	Particulars
Annexure 1A	Environment Clearance Letter 2013
Annexure 1B	Environment Clearance Letter 2017
Annexure 2	Sanctioned Layout dated 20.10.2022.
Annexure 3	Revalidated Consent to Establish
Annexure 4	Society Registration Certificate and Water & Drainage NOC
Annexure 5	Monitoring reports
Annexure 6	Fly Ash Bricks Purchase Order
Annexure 7	CGWA NOC
Annexure 8	Previously submitted six monthly report acknowledgement copies
Annexure 9	Budgetary provision for EMP
Annexure 10	Advertisement Copy
Annexure 11	Acknowledgement of EC submission copy to local Authority
Annexure 12	Copy of Submitted Environmental Statement for financial year April 2021 to March 2022
Annexure 13	OWC Installation Certificate

Section1: Purpose of the Report

As per the 'Sub Para (i)' of 'Para 10' of EIA Notification 2006 and Condition mentioned General condition for construction phase in Sr. No.XLI and LIII of Environmental Clearance (EC) letter dated 25th July, 2013(**Annexure 1A**), and subsequent EC having dated 16th October, 2017(**Annexure 1B**), it is mandatory to submit six monthly compliance report to show the status & compliance of all the conditions mentioned in EC letter, along with monitoring of various environmental parameters. Therefore, based on the general conditions mentioned in EC letter detail compliance report is prepared.

Section 2: Project Details

Kumar Kering Developers LLP is proposing residential project at S.No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-Maharashtra. Project is designed as self-sufficient establishment wherein infrastructure facilities such as water supply, power supply and communication facilities are proposed. Further the project proponent has made provision for waste collection and disposal, rainwater harvesting and sewage treatment to ensure that project is environment friendly. The project proponent also proposes arrangement for safety, maintenance and security of residents. The main features of the project are as follows.

Sr. No.	Particulars	Details	
1	Total Plot Area (As per EC)	78600 Sq.m	
2	Construction BUA (FSI + Non FSI)	146157.83 Sq.m	
3	No. of buildings	Building Name & number	Number of floors
		Bungalows B1 to B4	G+1
		Buildings C1 to C3	G+1
		Buildings D1,D2	G+1
		Buildings A1,A2	P+ 12
		Buildings A3 to A8	P+14
		Buildings A9 to A12	P+14 shops
		Buildings B1,B4	P+14 shops
		Buildings B2,B3	P+14
		E type Bungalow	G+1
		Club House (Club House with Parking Structure)	P+G+1
		Club House (Gr Floor)	Gr Floor
4	Fresh Water Requirement	506 m ³ /day	
5	Recycled Water Requirement (For Flushing & Landscaping)	Flushing: 260 m ³ /day Landscaping: 36 m ³ /day	
6	Sewage Generation	600 m ³ /day	
7	No. & Capacity of STP	1 STP of 650 KLD 1 STP of 50 KLD	

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

8	Solid Waste Generation	Non-Bio-degradable Waste: 1193 kg/day Bio-degradable Waste: 1676 kg/day
9	Energy	Source of power supply: MSEDCL During Construction Phase: 100 KW During Operation Phase: 6648 KW DG sets- 1 nos. of total capacity 82.5 KVA 2 nos. of total capacity 125 KVA Transformer- 1x 320 KVA, 1 x 125 KVA

Section 3: Present Site Conditions

Sr. No.	Name of Buildings	No. of Buildings	Current Status	EC
1.	B1 to B4 Type Bungalows	24	Completed	As per EC SEAC-2010/CR-776/TC-2 dated 25.07.2013
2.	C1 to C3 Type Bungalows	15	Completed	As per EC SEAC-2010/CR-776/TC-2 dated 25.07.2013
3.	D1 to D2 Type Bungalows	5	Completed	As per EC SEAC-2010/CR-776/TC-2 dated 25.07.2013
4.	E Type Bungalows	6	Completed	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
5.	Club House	1	Completed	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
6.	A2, A3	2	In Progress	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
7.	A4	1	In Progress	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
8.	A5	1	In Progress	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
9.	A6	1	In Progress	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
10.	A7	1	In Progress	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
11.	A8	1	In Progress	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
12.	B3 (A&B)	1	In Progress	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

13.	B4 (A&B)	1	In Progress	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
14.	A1, A9, A10, A11, A12, B1, B2	7	Proposed	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017
15.	Club House with Parking Structure	1	In Progress	As per EC-TPS-1816/CR-443/16-DP director /UD-16dated 16.04.2017

Sr. No.	Status	Construction Area (in Sq.m)
1.	Total Construction Area as per EC	146157.83
2.	Total Construction Area Completed till September 2022	37416.82

Section 4: Post Environment Clearance Compliance Report

The proposal has been considered by SEIAA in its 52nd and 62nd meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subjected to implementation of the following terms and conditions: -

Sr. No.	EC Conditions	Compliance status
i.	Occupancy certificate should not be issued to the project unless adequate water supply is available to the project & sewerage line is ready in all respects to receive sewerage from the project.	Condition is noted.
ii.	This environmental clearance is issued subject to land use verification. Local authority/ planning authority should ensure this. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.	Condition is noted.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

iii.	The height, construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number approving layout plan & before according commencement certificate to proposed work. ULB should also ensure the zoning permissibility for the proposed project as per the approved development plan of the plan of the area	The height, Construction built up area of proposed construction is in accordance with the existing FSI/FAR norms of the urban local body. Proposed project is in the residential zone as per the approved development plan of the area. The construction is as per Commencement number CC/1895/22 dated 20.10.2022. Attached as an Annexure 2.
iv.	“Consent for Establishment” shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	Revalidated Consent to Establish (Format1.0/BO/JD/(WPC) UAN-068877/CE/CC-1909000442) was obtained on 16.09.2019. Copy of same is attached as Annexure 3.
v.	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.	Sanitary facilities such as toilets for ladies and Gents are provided on site and water for drinking purpose is provided on site.
vi.	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environment infrastructure is installed and made functional including water requirement, storm water drainage in Para. 2. Prior certification from appropriate authority shall be obtained.	Water NOC, Drainage NOC and Society Registration Certificate is attached as Annexure 4.
vii.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche, etc.	We have provided labour camp for labours. Adequate drinking water and sanitary facilities such as toilets for Gents and Ladies are provided to the construction workers.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

viii.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Drinking water is provided for labourers on site, Waste water generated is disposed of through urinals connected with septic tank
ix.	The solid waste generated should be properly collected & segregated, dry/inert solid waste should be disposed off to the approved sites for landfilling after recovering recyclable material	The solid waste is segregated and recyclable material is sold to recyclers and inert material is used for site leveling.
x.	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And no wet Garbage will be disposed outside the premises. Local Authority should ensure this.	OWC is provided for existing Bungalows for the treatment of wet waste. Same system shall be implemented for proposed buildings
xi.	Arrangement shall be made that wastewater and storm water do not get mixed	Separate sewer and storm water lines have been provided.
xii.	All the topsoil excavated during construction activities should be stored for use in horticulture/ landscapes development within the project site	Yes, we have used excavated topsoil for landscaping.
xiii.	Additional soil for leveling of the proposed site shall be generated within the sites (to extent possible) so that natural drainage system of the area is protected and improved.	Yes, we have used additional soil for site leveling to protect natural drainage system.
xiv.	Green Belt development shall be carried out considering CPCB guidelines including selection of Plant species and in consultation with the local DFO/Agricultural department.	Local planning authority has established a Garden Department under whose preview the development is carried out, they have prescribed list of trees to be planted. This is a compulsory activity and is checked prior to issue of completion certificate.
xv.	Disposal of muck during construction phases should not create any adverse effect on the neighboring communities and be disposed taking necessary precautions for general safety and healthy aspects of people, only in approved sites with the approval of competent authority.	All construction waste is collected and segregated properly at site and most of it is reused for construction activity and we ensured that no neighboring community is affected.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

xvi.	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Soil testing was done, according to reports all the parameters are within limit and so there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants, Monitoring reports are attached as Annexure 5 .
xvii.	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such materials must be secured so that they should not leach into the ground water.	We are taking proper measures during construction activity to avoid contamination of water courses. No bituminous material is used in construction.
xviii.	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Used oil generated at site which will be disposed through MPCB authorized vendors.
xix.	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards	Yes we are using low sulphur diesel type DG during construction phase
xx.	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.	We are using DG set only in case of power failure and hence not much diesel is stored at site.
xxi.	Vehicles hired for bringing construction materials to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.	PUC checked vehicles are only allowed on site for transfer of material.
xxii.	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB	Care has been taken to maintain the noise level within limits at site. Construction activities were limited to daytime only. Noise shields are provided for heavy construction equipment's. PPE provided to labours.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

xxiii.	Fly Ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27 th August, 2003 (The above condition is applicable only if the project site is located within the 100km of Thermal Power Stations)	NA as the site is away from Thermal Power Stations. Still, we are using Fly Ash Bricks for our construction. Purchase agreement is attached as Annexure 6.
xxiv.	Ready mixed concrete must be used in building construction.	Yes, we are using Ready mixed concrete in construction.
xxv.	The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of firefighting equipment's etc.	Condition is noted.
xxvi.	Storm water control and its re-use as per CGWB and BIS standards for various applications.	We will achieve it.
xxvii.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Gunny bags are wrapped on columns and ponding is done to reduce water usage for curing. Pre mixed concrete is being used.
xxviii.	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Condition is noted.
xxix.	The installation of the sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation treated effluent emanating from STP shall be recycled refused to the maximum extent possible. Treatment of 100% gray water by decentralized treatment should be done. Discharge of unused treated affluent shall conform to the norms and standards of the Maharashtra Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.	Septic tank for bungalows are provided for treatment of sewage. One STP of capacity 165 KLD is installed. Treated water will be reused for flushing & gardening for proposed buildings. Discharge of unused treated affluent shall be conform to the norms of MPCB.
xxx.	Local body should ensure that no occupation certificate is issued prior to operation of STP/MSW site etc. with due permission of	Condition is noted.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

	MPCB.	
--	-------	--

xxxi.	Permission to draw ground water and construction of basement if any shall be obtained from competent authority prior to construction/operation of the project.	Permission to draw ground water has been obtained from CGWA and attached as Annexure 7 .
xxxii.	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.	100% of wastewater will be treated in the proposed STP.
xxxiii.	Fixtures for showers, toilets flushing and drinking should be of low flow either by use of aerators or pressures reducing devices or sensor based control.	We are using low flow fixtures in toilets to minimize wastage of water.
xxxiv.	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	We will keep use of glass below 40%.
xxxv.	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.	Condition is noted.
xxxvi.	Energy conservation measures like installation of CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy	Condition is noted. We have installed solar water heater for all bungalows and provided CFL in common area and proposed solar water heater and Solar PV panels in the proposed part of the project. We will adopt energy conservation measures.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

xxxvii.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	DG set of capacity 25 KVA and 320 KVA is provided for power backup for bungalows and Towers respectively. DG sets provided with silencer and acoustic enclosures. Stack height is as per MPCB norms.
xxxviii.	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	Yes, we will maintain noise level as per standards norms.
xxxix.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	Condition is noted and implemented; all parking is internalized for completed bungalows.
xl.	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by uses of appropriate thermal insulation material to fulfill requirement.	Condition is noted.
xli.	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	Required distance has been maintained as per DCR and approved by local authority
xlii.	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.	Dedicated site engineer and supervisory staff is appointed to take care of the monitoring and overall implementation.
xliii.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project	Construction was started after obtaining environmental clearance (EC). The copy of EC letter is

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

	proponent if it was found that construction of the project has been started without obtaining environmental clearance	attached as Annexure-1 .
xliv.	Six monthly monitoring reports should be submitted to the Department and MPCB.	Six monthly monitoring reports are being duly submitted and copy of previous acknowledgements are attached as an Annexure 8 .
xlvi.	A complete set of all the documents submitted to the Department should be forwarded to the MPCB	Condition is noted
xlvi.	In case of any changes in the scope of the project, the project would require a fresh appraisal by this Department.	In case we are crossing BUA given in the EC, we will take prior revised EC
xlvi.	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards	Environment Management cell is prepared for implementation of the environmental safeguards.
xlvi.	Separate funds shall be allocated for implementation of environmental protection measures/ EMP along with item-wise break up. These costs shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the MPCB & this department.	Separate fund was allocated for implementation of environmental protection measures. Budgetary provision for EMP is attached as an Annexure 9 .
xlix.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with Maharashtra Pollution Control Board and may also be seen at Website at http://envs.maharashtra.gov.in	Advertisement was published in Marathi and English Newspaper. The copy of same is attached as Annexure - 10 .

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

1	Project management should submit half yearly compliance reports in respect of the stipulated prior environmental clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.	New norms as per RO being followed.
li	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	A copy of the Clearance letter is submitted to Municipal Corporation. Copy of same is attached as Annexure 11.
lii	The proponent shall upload the status of compliance of the stipulated EC conditions including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MOEF, the respective Zonal office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x , (ambient levels as well as stack emissions) or critical sectoral parameters indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company to the public domain.	Condition is noted.
liii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail respective Regional Office of MoEF, the respective Zonal Office of CPCB and SPCB.	We are submitting six monthly monitoring reports to Regional Office MoEF & CC regularly.
liv.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986 as amended subsequently, shall also be put on the website of the company along with the Regional	We have submitted Environmental Statement for financial year April 2021 to March 2022 having UAN no.- MPCB-ENVIRONMENT_STATEMENT-0000050946 dated 19-10-2022. Copy of same is attached as Annexure 12.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

	Offices of the MoEF by e-mail.	
4	The environmental clearance is being issued without prejudice to the court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'ble court will be binding on the project proponent. Hence, this clearance does not give immunity to the project proponent in the case filed against him.	Condition is noted
5.	In case of submission of false document and noncompliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986	Condition is noted
6.	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.	Condition is noted
7.	Validity of Environmental clearance: The environmental clearance accorded shall be valid for a period of 5 years	Condition is noted
8.	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.	Condition is noted
9.	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the Public Liability Insurance Act, 1991 and its amendments.	Condition is noted

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

10.	Any appeal against this environmental clearance shall lie with the National Environmental Appellate, if preferred within 30 days as prescribed under Section 11 of the National Environmental Appellate Act, 1997.	Condition is noted
-----	--	--------------------

EC conditions of BHA/ M. Undri/ Survey no. 12pt, 13pt/ Project no. 653/ 17-18 Dtd. 16thOctober, 2017

1.	Environmental Clearance from State Environmental Impact Assessment Authority in the subject project On 16.03.2015, the letter no. The certificate has been obtained by SEAC/2011/CR178/TC2 and strict compliance with the terms and conditions of this shall be mandatory on the project's applicant / owner / developer and architect / engineer / structural engineer / supervisor. Similarly, the revised project has total environmental clearance (Gross FSI+ Non FSI) Construction area 1,46,157.86 sq. m. It has been given for this area.	We are complying all the conditions mentioned in Environmental Clearance strictly.
2.	If there is any modification in the conceptual map submitted by the applicant is made, then it is obligatory for an applicant to submit new application to the Environmental cell.	Condition is noted. We will inform the Environmental cell if there will be any modification in the present plans.
3.	There shall not be any change in natural drainage system and no construction can be done in the wetlands.	Agreed. There is no any change in natural drainage system and no Construction will be done in the wetlands.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

4.	Use of water efficient appliances shall be required. Designated taxes shall require for at least 1 recharge per 500 sq. m. Construction area and rain water recharges must be limited to shallow passions. If ground water is not possible to recharge, rain water harvesting shall be required. Also, Permission to draw ground water shall be obtained from the competent authority	Rainwater from terraces and other open area will be diverted to recharge pits for ground water recharge. Permission to draw ground water will be obtained from the competent authority if required.
5.	According to the Development Control Regulation, it is necessary to keep at least 20% of the area in the open space using grass pavers or other footpaths.	Condition is noted.
6.	For wet and dry wastes, dry waste should be provided to the official vendor by placing the container in the premises. Vermicomposting project applicant/ developer / landowner has to self-purchase for the waste disposal.	Garbage will be collected manually from each of the building and carted to collection spot through trolleys. In order to avoid problems associated with solid waste disposal problems, an effective solid waste management system will be followed by segregating the wet and dry garbage and handover it to the local authority for disposal. OWC of capacity 50 kg/day is installed at site for treating wet waste, OWC installation certificate is attached as an Annexure 13 .
7.	The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.	Condition is noted.
8.	The waste generation from sewage treatment plant shall be disposed as per disposal rules of central public health and environmental engineering organization (C.P.H.E.E.O.)	The waste generation from sewage treatment plant shall be disposed as per the C.P.H.E.E.O.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

9.	The processed sewage has to be used for flushing and landscaping and additional sewage disposal shall be done as per the rules of Central Pollution Control Board (C.P.C.B.)	Treated water shall be used for the flushing and, Landscaping for proposed buildings. Additional sewage disposal shall be as per CPCB norms.
10.	Energy conservation building codes shall be followed and The L.E.D. lights shall be installed.	Condition is noted.
11.	Machinery for the installation of solar water heating system shall be provided by applicant / developer / landlord with his own expenses and it should be ready building handover.	Solar Hot water system is installed in existing bungalows and Proposed solar water heating system in the proposed part of the project.
12.	Construction and Demolition waste rules 2016 shall be adhered too in order to manage and dispose of the Waste. The land soil shall be used at maximum extent.	All construction waste gets collected and segregated properly. Most of that is reused for the construction activity.
13.	Environmental friendly construction materials shall be used.	Environmental friendly construction materials are used for construction.
14.	As per fly ash notification, 1999, Fly ash shall be used for R.C.C., construction and plaster.	Yes, Ready mixed concrete with fly ash are used in the construction.
15.	To avoid air pollution like dust, smoke and etc., 3 mtrs. Height barricading, tarpaulin, wheel washing and sprinkling of water shall be used.	Condition is noted.
16.	The DG set exhaust pipe shall be according to the CPCB rules.	DG set specifications shall be as per CPCB norms.
17.	The area of this land is more than 500 sq.m. Therefore, for planting of trees such as 1 tree for every 80 sq.m area, is mandatory for the applicant / developer / landowner. Also, if the cutting plants shall be done, then in exchange planting 3 nos. of tree is mandatory.	Condition is noted.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

18.	Drinking water and sanitation facilities are mandatory for the construction workers.	Adequate portable water facility for drinking purpose is provided for the workers at the site. Proper Sanitation facility is provided & Hygiene measures are taken care as Toilets are provided at site.
19.	If there is a violation of the laws of the environment, then, legal action shall be taken against the applicant under the Environment (Protection) Act 1986.	Condition is noted.
20.	Central Environment Department Notification no. 5.0.3999(E) Dated December 9, 2016 and Compliance with the provisions of Form 1A and Consolidated Statement submitted by the terms and conditions of the Government Notification TPS - 1816 / CR- 443/16-DP Directors / UD-13 notification on 13.04.2017 and It is mandatory for the applicant to submit the report of the fulfillment of these provisions by qualified building environment auditor every 5 years.	Condition is noted.
21.	The applicant shall have to submit report about the Environmental Infrastructure and the certificate from the qualified building environment auditor before completing the Certificate of Occupation Certificate. After fulfilling the above conditions, occupation certificates shall be issued	Condition is noted.
22.	For the proposed building and other developing land, it is mandatory to save 20 cm above the top layer of soil and use it in the right place for tree plantation in the proposed plants.	Yes, we noted the condition and agreeable to the same.

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

23.	It is mandatory to comply with the guidelines of Ministry of Urban Development MoUD and Urban & Regional Development Plans formulation and implementation URDFI for creating all inclusive mobility plans for public, private, managed, pedestrian and other transport plans.	Yes, we noted the condition and agreeable to the same.
24.	It is mandatory to prepare an Environmental Management Plan for the purpose of meeting and implementing the Environmental Terms. For the maintenance of environmental infrastructure, environment monitoring cell should be established which shall be the office bearer of the Co-operative Housing Society, so that the proposed facility shall be repaired permanently.	Condition Noted.
25.	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (prevention of pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	Yes, we noted the condition and agreeable to the same.
26.	In this case the scrutiny amount is of Rs. 5,00,000/- is paid for environmental clearance. In future, if there will be any changes in the amount, then the required amount shall be paid to the Authority.	Yes, we have paid the fees and further condition noted.
27.	If any information or documents submitted by the applicant are false / misleading, then the development approval and Commencement certificate shall be deemed to be canceled.	Yes, we noted the condition and agreeable to the same.

Section 5: Monitoring and Analysis

Monitoring of Air quality, Water quality, Soil quality, Noise level and DG set stack emissions at construction site. Monitoring was done and samples were collected as per standard norms. All samples were analyzed in NABL accredited laboratory. The details of sampling parameters were

Six Monthly Compliance Report of Kumar Kering Properties Pvt Ltd

given in following table.

Sr. No.	Environmental Components	Monitoring Parameters
1	Air	PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ , O ₃ , Pb, CO, NH ₃ , C ₆ H ₆ , Benzo (a) Pyrene – Particulate Phase only, As, Ni
2	Water	Colour, Odour, Turbidity, pH, TDS, Total Alkalinity, Total Hardness, Ca, Mg, Cl ⁻ , SO ₄ , NO ₃ , Fe, Mn, F, Pb, Cu, Zn, Cr ⁶⁺ , As, B, Residual Chlorine, Al, Cd, Se, Hg, Pesticides, Mineral Oil
3	Noise	Leq
4	Soil	pH, Electrical Conductivity, Total Nitrogen as N, Phosphate as P, Potasium as K, Exchangeable Calcium as Ca, Exchangeable Magnesium as Mg, Exchangeable Sodium as Na, Organic Matter, Texture

Monitoring results are attached as **Annexure 5** which indicates that parameters of all environmental components are within standard limit and there is no pollution at site.

Government of Maharashtra

SEAC-2010/CR-776/TC-2
 Environment department,
 Room No. 217, 2nd floor,
 Mantralaya Annexe,
 Mumbai 400 032
 Date: 25th July, 2013

To,
 M/s. Kumar Kering Properties Pvt. Ltd.
 Kumar Capital 1st Floor 2413,
 East Street, Camp, Pune - 411 001

Subject: Environmental clearance for proposed Residential Group Housing Scheme at village Undri, Tal Haveli, Dist. Pune by M/s. Kumar Kering Properties Pvt. Ltd - Environmental clearance regarding.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee, Maharashtra in its 60th meetings and decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 52nd & 62nd Meetings.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed Residential Group Housing Scheme at village Undri, Tal Haveli, Dist. Pune. SEAC considered the project under screening category 8(a) B2 as per EIA Notification 2006.

Brief Information of the project submitted by Project Proponent is as:

Name of Project	"Residential Group Housing Project"	
Project Proponent	M/s. Kumar Kering Properties Pvt. Ltd.	
Consultant	M/s. Saitech Research & Development Organization	
Type of Project	Group Housing Project	
Location of the Project	At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra	
Total Plot Area	78600.00 m ²	
Deductions	25405.25 m ²	
Net Plot area	53194.75 m ²	
Net Permissible FSI	71124.51 m ²	
Proposed Built up area (FSI & Non FSI)	• FSI area (m ²)	68452.50m ²
	• Non FSI area (m ²)	22715.66 m ²
	• Total BUA area (m ²)	91168.16 m ²
Ground-coverage Percentage (%)	42 %	

Estimated cost of the project	Rs. 113.79 Crores (Approx)
No. of buildings & its configurations	Total Number of Buildings 9 & 44 Bungalows <ul style="list-style-type: none"> Nos. of Tenements: 440 Buildings A1 to A8: P + 12 Floors Bungalows B1 (6 Nos.), B2 (6 Nos.), B3 (6 Nos.), B4 (6 Nos.), C1 (5 Nos.), C2 (5 Nos.), C3 (5 Nos.), D1 (2 Nos.) & D2 (3 Nos.): G + 1 Building E: P + 10
Number of tenants and shops	Total tenants: 440 nos.
Number of expected residents / users	2200 persons
Tenant density per hecter	58/Tenants/Hector
Height of the building	36 m
Right of way	24 m Wide RP road adjacent to the site
Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation	12 m
Total Water Requirement	Dry season: <ul style="list-style-type: none"> Source: Gram Panchayat Fresh water : 205 m³/day Recycled water (Flushing) : 103 m³/day Recycled water (Gardening) : 94 m³/day Total Water Requirement : 402 m³/day Fire fighting (Underground water tank) : 300 m³ Fire fighting (Overhead water tank) : 10 m³ Excess treated water : 66 m³/day Wet Season: <ul style="list-style-type: none"> Source : Gram Panchayat Fresh water : 205 m³/day Recycled water (Flushing) : 103 m³/day Total Water Requirement : 308 m³/day Fire fighting (Underground water tank) : 300 m³ Fire fighting (Overhead water tank) : 10 m³ Excess treated water : 161 m³/day

Rain Water Harvesting (RWH)	<ul style="list-style-type: none"> • Level of the Ground water table : 3 m • Size, no of recharge pits and Quantity : • Size of the recharge pit = 3.0 m x 3.0 m x 3.0 m • No of recharge pit proposed = 10 Nos. • Budgetary allocation (Capital cost and O&M cost) • Capital Cost: 22 Lakhs • O & M Cost per Annum: 0.25 Lakhs
Storm water drainage	<ul style="list-style-type: none"> • Quantity of storm water : • Size of SWD: Storm water drain of 0.45m width & 0.2m depth @ slope 1:200 will be provided along the road in project area.
Sewage and Waste water	<ul style="list-style-type: none"> • Sewage generation : 277 m³/day • STP technology : -Sequential Batch Reactor • Capacity of STP : 300 m³/day • Location of the STP : Ground • DG sets (during emergency) : 1 X 125 KVA 2 X 250 KVA 2 X 500 KVA • Budgetary allocation (Capital cost and O&M cost) : • Capital Cost: Rs. 100 Lakhs • O & M Cost per Annum: Rs. 10 Lakhs
Solid waste Management	<p>Waste generation in the Pre Construction & Construction phase:</p> <ul style="list-style-type: none"> • Waste generation: 38 kg /day • Quantity of the top soil to be preserved : • Disposal of the construction way debris: Construction debris, Waste concrete and broken bricks will be utilized in low-land leveling, secondary concrete, below roads. Some quantity of Excavation soil will be use for backfilling and remaining will be hand over to authorized vendor. <p>Waste generation in the operation Phase:</p> <ul style="list-style-type: none"> • Dry waste : 410 kg/day • Wet waste : 616 kg/day • E - waste : very less amount • Hazardous waste: spent oil or oil grease for DG sets paints etc. <p>STP Sludge (Dry sludge) : 33 kg/day</p> <p>Mode of Disposal of waste:</p> <ul style="list-style-type: none"> • Dry waste : Handed over to authorized recycler for further handling and disposal. • Wet waste: Will be converted to compost using Organic Waste Processor [OWP] model no. EPL 1000 • E - waste : Handed over to authorized Vendor • Hazardous waste : Handed over to authorized Vendor • STP Sludge (Dry sludge) : Will be used as manure for gardening <p>Area requirement:</p> <p>1. Location(s) : On Ground</p>

	2. Total area provided for the storage & Treatment of the solid waste : For EPL 1000 - 100 m ² 3. Budgetary allocation (Capital cost and O&M cost) Capital Cost : 10 Lakhs O & M Cost : 2 Lakhs/Annum
--	---

Green Belt Development

RG on the ground : 8690.57 m²

RG on the podium: 7023.94 m²

Plantation:

Trees to be planted on the Ground 738 Nos. & Shrubs 21 Nos.

Trees to be planted on podium: 25 Nos.

Shrubs to be planted on podium: 21 Nos.

Budgetary allocation (Capital cost and O&M cost) :

Capital Cost : 85 Lakhs

O & M Cost : 6 Lakh/annum

Energy

Power supply:

Sr. No.	Power Requirement	
1	Source of power supply :MSEB	
2	During Construction Phase	63 KVA
3	During Operation Phase,	
	Demand Load	6500 KVA
	Connected Load	11500.KVA
4	DG set as Power Back-up during operation phase	1 no. x 125 KVA 2 nos. x 250 KVA 2 nos. x 500 KVA
5	Fuel used	Diesel

Energy saving by non-conventional method:

Energy saving measures

- All Fluorescent lights/ LED with Electronic ballast in place of Copper chokes & Tube - T5 type, in place of T8 type, to reduce the power consumption by 12 watts per lamp & increase in lumens by 14%. Further reduction by use of sensors (Power saving 1,63,146 KWH /year).
 $n/l = 7760 \times 0.8 \times 6hr/day \times 365d/yr \times 12watts$
- Hot water requirement for low rise, will be met by Solar water heating system (Power saving 12,56,661 KWH /year).
- All Buildings/ Areas will be equipped with Capacitor Banks, with heavy duty compact gas

filled capacitors with harmonic filters to maintain THD's less than 10% with auto power factor correction panels to be connected with LT panels at load end. This is to reduce the power losses caused by low power factor & Harmonic distortions of power wave form.

- Electrical distribution system will be monitored regularly and energy consumption will have check meter, so that any energy loss will be detected and will be rectified immediately.
- Insulated Roof to reduce heat gain.
- Common light load requirement in high rise buildings/ street lighting will be met by use of solar if feasible. Energy will be saved 50,000 KWH /year.
- Detail calculations & % of saving:

Sr. No.	Energy Conservation Measures	Saving %
1.	Lighting Fixtures with CFL & T5 with Electronic Ballast +Power.	20% on entire lighting load
2.	Lighting Control System on BMS & Sensors	10% street and common lights
3.	Solar water heating system/ lighting	20%
4.	Solar	Common lighting & small power.

- Budgetary allocation (Capital cost and O&M cost)

Capital Cost: Rs. 83.63 Lakhs

O & M Cost: Rs.1.5 Lakhs/Annum

DG Set:

- Number and capacity of the DG sets to be used :

During Construction Phase : 1 nos. X 80 KVA

During Operational phase: Residential: - 1 no. X 125 KVA

2 nos. X 250 KVA

2 nos. X 500 KVA

- Type of fuel used : Diesel

Traffic Management

Buildings	Wing	Number of tenements	Parking required 20+3+1.4=24.4 m ² per tenement	Parking provided in
P+12	A1	47	1147	Still parking 4940 m ² + Podium Parking 10760 m ² = 15700
P+12	A2	47	1147	
P+12	A3	47	1147	
P+12	A4	47	1147	
P+12	A5	47	1147	
P+12	A6	47	1147	
P+12	A7	47	1147	
P+12	A8	47	1147	
G+1	B1	6	146	146
G+1	B2	5	122	122
G+1	B3	5	122	122
G+1	B4	6	146	146
G+1	C1	5	122	122
G+1	C2	6	146	146
G+1	C3	6	146	146
G+1	D1	2	49	49
G+1	D2	3	73	73
P+10	E	20	488	488
TOTAL		440	10736	17262

Width of all Internal roads (m): 7.5 m, 9 m & 12 m Wide

Environmental Management plan Budgetary Allocation :

During Construction Phase:

Sr. No.	Parameter	Total cost in Lacs
1	Water for Dust Suppression	0.7
2	Site Sanitation & Safety	1.5
3	Environmental Monitoring	2.4
4	Disinfection	1.4
5	Health Check up	1.5
6	Total Cost	7.5

During Operation Phase:

Sr. No.	Pollution Control Measures	Recurring Cost Per Annum (Rs. Lakhs)	Capital Cost (Rs. Lakhs)
1.	Pollution Control – STP & Noise Control Measures	10 (Includes cost of power, operation & maintenance)	100 (Construction of STP)
2.	Environment Monitoring	5 (Monitoring charges for air, water, waste water, soil, DG stack, noise etc.)	Nil
3.	Solid Waste Management	2 (includes cost of waste collection, storage and disposal)	10 (Includes cost of waste collection, storage and disposal.)
4.	Solar water heater	1.5	83.63

	system		
5.	Occupational Health	2.5 (includes cost of medical checkup, PPE & first aid kit)	4 (includes cost of PPE, first aid facility)
6.	Green Belt development	6 (includes cost of landscaping of plot area)	85 (includes landscaping of plot area)
7.	Rain water harvesting	0.25	22
8	Others (BHS orientation & training)	3 (Environment & safety training)	10 (other equipments)
	Total	30.25	314.63

3. The proposal has been considered by SEIAA in its 52nd & 62nd meetings and decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:-

- (i) Occupancy certificate should not be issued to the project unless adequate water supply is available to the project and sewerage line is ready in all respects to receive treated sewerage from the project.
- (ii) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.
- (iii) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (iv) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (v) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (vi) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.

- (vii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (viii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (ix) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (x) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (xi) Arrangement shall be made that waste water and storm water do not get mixed.
- (xii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (xiii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (xiv) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xvi) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (xvii) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xviii) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xix) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- (xx) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xxi) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xxii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xxiii) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xxiv) Ready mixed concrete must be used in building construction.

- (xxv) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.
- (xxvi) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xxvii) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxviii) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxix) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxx) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (xxxi) Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxxii) Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxxiii) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxxiv) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxxv) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- (xxxvi) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxxvii) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- (xxxviii) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (xxxix) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xl) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces

while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.

- (xli) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xlii) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xliii) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xliv) Six monthly monitoring reports should be submitted to the Department and MPCB.
- (xlv) A complete set of all the documents submitted to Department should be forwarded to the MPCB.
- (xlii) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (xlvii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xlviii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (xlix) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>.
- (i) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (ii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (iii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (iii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.

- (liv) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
 5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
 7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years.
 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
 10. Any appeal against this environmental clearance shall lie with the National Green Tribunal, Van Vigyan Bhawan, Sec- 5, R.K. Puram, New Dehli - 110 022, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

R.A. Rajeev
(R.A. Rajeev)
Principal Secretary,
Environment department &
MS, SEIAA

Copy to:

1. Shri. P.M.A Hakeem, IAS (Retd.), Chairman, SEIAA, 'Jugnu' Kottaram Road, Calicut- 673 006 Kerala.

2. Dr. S. Devotta, Chairman, SEAC, T2/302 Sky City, Vanagaram -Ambattur Road, Chennai - 600 095
3. Additional Secretary, MOEF, 'Paryavaran Bhawan' CGO Complex, Lodhi Road, New Delhi - 110510
4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Pune.
7. Collector, Pune.
8. Commissioner, Pune Municipal Corporation, Pune.
9. IA- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.
10. Director (TC-1), Dy. Secretary (TC-2), Scientist-1, Environment Department.
11. Select file (TC-3).



PUNEMETROPOLIS

पुणे महानगर प्रदेश क्षेत्र विकास प्राधिकरण, पुणे

Pune metropolitan Regional Development Authority, Pune

स.नं. १५२ - १५३, महाराजा सयाजीराव गायकवाड उद्योग भवन, औंध, पुणे - ४११ ००७

S.No. 152-153, Maharaja Sayajirao Gaikwad Udyog Bhawan, Aundh, Pune - 411 007

Ph No. : 020- 259 33 344 / 356 / 333 / फोन नं. : ०२०- २५९ ३३ ३४४ / ३५६ / ३३३ Email: hqpmrda@gmail.com

जा.क्र. बीएचए/मौ.उंड्री/स.नं.१२ पै, १३ पै/प्र.क्र. ६५३

दि.३६/३७/२०१७

पर्यावरण अटी व शर्ती

(शासन निर्णय क्र. TPS-१८१६/CR-४४३/१६-DP Directers/UD-१३ दि.१३/०४/२०१७ नुसार)


प्रति,

श्री. केवलकुमार केसरीमल जैन
रा. कुमार कॅपिटल, ईस्ट स्ट्रीट कॅम्प, पुणे १.

मौजे उंड्री ता. हवेली येथील स.नं. १२पै, १३पै क्षेत्र - ७८६००.०० चौ.मी. क्षेत्रावरील समुह गृहबांधणी प्रकल्पामधील सुधारीत रेखांकन/ इमारत बांधकाम प्रस्ताव मंजूरीस्तव प्राधिकरणाकडे प्राप्त झाला होता. त्यानुसार आपण प्रस्तावासोबत सादर केलेल्या कागदपत्रास अधिन राहून तसेच सोबतच्या परिशिष्ट ' अ ' मध्ये नमूद अटी व शर्तीस अधिन राहून उक्त प्रस्तावास प्राधिकरणाकडील जा.क्र. बीएचए/मौ.उंड्री/स.नं.१२पै, १३पै / प्र.क्र. १३९७/१६-१७, दि. ०७/०२/२०१७ अन्वये विकास परवानगी व प्रारंभ प्रमाणपत्र देण्यात आलेले आहे.

आता प्रस्तुत प्रकरणी आपण पर्यावरण ना हरकत दाखला मिळणेच्या अनुषंगाने प्राधिकरणाकडील Environment Cell कडे दि. ०३/०८/२०१७ रोजीच्या पत्रान्वये प्रस्ताव सादर केलेला आहे. सदर प्रस्तावास प्राधिकरणाकडील Environment Cell कडून छाननी करण्यात आलेली असून त्यास मा. महानगर आयुक्त यांनी मान्यता दिलेली आहे. शासन नगर विकास विभागाकडील अधिसूचना क्र. TPS-१८१६/CR-४४३/१६-DP Directers/UD-१३ दि.१३/०४/२०१७ रोजीच्या अधिसूचनेत दिलेल्या निर्देशानुसार बांधकाम परवानगी सोबत पर्यावरणसंबंधी देखील अटी / शर्ती एकत्रितपणे अर्जदारास कळविणे आवश्यक आहे. त्यानुसार विषयांकीत प्रकरणी पर्यावरणबाबतच्या अटी व शर्ती सोबतच्या प्रपत्र ब मध्ये नमूद करून पाठविण्यात येत आहेत. त्यामधील अटी व शर्तीनुसार पुढील आवश्यक ती कार्यवाही करणे आपणावर बंधनकारक राहील. यापूर्वी १३९७/१६-१७, दि. ०७/०२/२०१७ अन्वये दिलेली विकास परवानगी व प्रारंभ प्रमाणपत्र त्यासोबतचे प्रपत्र अ आणि बांधकाम नकाशे कायम असून त्यानुसार कार्यवाही करणे आपणावर बंधनकारक राहील.

मा. महानगर आयुक्त तथा मुख्य कार्यकारी अधिकारी यांचे मान्यतेने



(Signature)

महानगर आयुक्त
तथा


मुख्य कार्यकारी अधिकारी,
पुणे महानगर प्रदेश क्षेत्र विकास प्राधिकरण,
पुणे यांचे करिता.

परिशिष्ट ब
विशेष पर्यावरणीय अटी व शर्ती

प्रकल्पाची संक्षिप्त माहिती

- १) प्रकल्पाचे नाव - " एक्सपॅन्शन ऑफ रेसिडेन्शीयल ग्रुप हौसिंग स्किम "
- २) अंदाजे खर्च - रु. ११३.७९ कोटी
- ३) एकूण सदनिका - १००७, शॉप्स - ३६, बंगलो - ५०
- ४) जास्तीत जास्त इमारत उंची - ४४.९० मी.
- ५) एकूण वापरकर्ते - ६०४३
- ६) बांधकाम क्षेत्र (FSI + Non FSI) = १,४६,१५७.८३ चौ. मी.
- ७) छाननी शुल्क - ५ लक्ष (प्रमाणे पु.म.प्र.वि.प्रा. पुणे कडे जमा करण्यात आला आहे.

१)	Land Environment
	<p>१) संकल्पनात्मक नकाशा जोडला असून इमारत संरचना खालील प्रमाणे आहे.</p> <p>इमारत B 1 to B 4 - G + 1</p> <p>इमारत C 1 to C 3 - G + 1</p> <p>इमारत D 1, D 2 - G + 1</p> <p>बंगलो - G + 1</p> <p>क्लब हाऊस - P + G + 1</p> <p>इमारत A 1, A 2 - P + 12</p> <p>इमारत A 3 to A 8 - P + 14</p> <p>इमारत A 9 to A 12 - P + 14 शॉप्स</p> <p>इमारत B 1, B 4 - P + 14 शॉप्स</p> <p>इमारत B 2, B 3 - P + 14</p> <p>एकूण ६७ इमारत</p> <p>२) वास्तुविशारद यांनी प्रमाणित केलेले बांधकाम क्षेत्राचा तपशील खालील प्रमाणे आहे.</p> <p>जमीन क्षेत्रफळ - ७८६००.०० चौ.मी.</p> <p>बांधकाम क्षेत्र (FSI) - ८३,८६४.४७ चौ. मी.</p> <p>बांधकाम क्षेत्र (Non FSI) - ६२,२९३.३६ चौ. मी.</p> <p>एकूण बांधकाम क्षेत्र - १,४६,१५७.८३ चौ. मी.</p> <p>३) पाणी वापर - बांधकाम दरम्यान - ९.५ घ. मी. / दिन</p> <p>ऑपरेशन चरण - ७६५ घ. मी. / दिन</p> <p>४) वीज आवश्यकता - बांधकाम दरम्यान - १०० KW</p> <p>ऑपरेशन चरण - ६६४८ KW</p> <p>५) पार्किंग - गाडी - ५२५</p> <p>दुचाकी - १५७५</p> <p>सायकल - १७७५</p> <p>एकूण - ३८७५</p> <p>६) सदर प्रकल्प नियोजित विकास आराखड्यानुसार असल्याने विद्यमान सुविधांवर कोणताही मोठा प्रभाव होणार नाही.</p> <p>७) कंटूर नकाशा जोडला असून सदर नकाशाचे अवलोकन केल्यास निदर्शनास येते की, कोणत्याही प्रकारचे जमीनीचे क्षारण व अस्थिरता निर्माण होणार नाही.</p> <p>८) सदर प्रकल्प सध्याच्या नैसर्गिक निचरा व्यवस्थेमध्ये बदल करणार नाही.</p> <p>९) एकूण उत्खनन ६०० घ. मी. प्रस्तावित आहे व ६०० घ. मी. जागा समतल करण्याकरीता वापरण्यात येईल.</p> <p>१०) बांधकाम कालावधीमध्ये एकूण ९.५ घ. मी. पाणी वापर व ७.६ घ. मी. सांडपाणी निर्माण होण्याचे प्रस्तावित आहे. सदर सांडपाणी प्रक्रियेकरिता खडी भिजवून असलेला सेप्टिक टाकी प्रस्तावित आहे.</p>



	<p>११) प्रस्तावित प्रकल्पामुळे पाणथळ जागेत कोणताही बदल होणार नाही.</p> <p>१२) सदर प्रकल्पामुळे आरोग्य धोका निर्माण होणार नाही या करीता विकसनकृत्याने खालील बाबींची पूर्तता करण्याची हमी दिली आहे.</p> <p>a) ३.० मी. बॅरीकेडिंग करणे</p> <p>b) धूळ धोरणांसाठी पाणी शिंपडणे</p> <p>c) वैयक्तिक संरक्षण उपकरणे देणे.</p> <p>d) Construction & Demolition Waste Rules, 2016 चे पालन करणे.</p>
--	---

२)	<p>Water Environment</p> <p>१) Water Balance Chart चा तपशील खालील प्रमाणे</p> <p>शुद्ध पाणी वापर - ५०६ घ. मी./ दिन</p> <p>फ्लशिंग पाणी वापर - २६० घ. मी./ दिन</p> <p>लँडस्केपिंग पाणी वापर - ३६ घ. मी./ दिन</p> <p>एकूण पाणी वापर - ७६५ घ. मी./ दिन</p> <p>सांडपाणी निर्मिती - ६०० घ. मी./ दिन</p> <p>उपचार केलेले अतिरिक्त पाणी - २९८ घ. मी./ दिन</p> <p>२) पाणीपुरवठा ना हरकत दाखला जोडलेला असुन बोअरवेलचे Yield - ५०६ घ. मी. / दिन आहे.</p> <p>३) जलशुद्धीकरण केंद्र प्रस्तावित केले असुन सदर प्रक्रिया दर्शवण्यात आली आहे व त्याचा तपशील खालील प्रमाणे आहे.</p> <p>४) सदर प्रकल्पामधील नळांना Low Flow Aerators बसविण्याचे प्रस्तावित आहे.</p> <p>५) सदर प्रकल्पामधील मलनिःसारण यंत्रणे मधून एकूण ६०० घ. मी./ दिन इतके पाणी पुनर्वापर करण्याचे प्रस्तावित आहे.</p> <p>६) सदर प्रकल्पामधून पाण्याचे फेरफार अपेक्षित नाही.</p> <p>७) Hydrogeological report सादर केला आहे.</p> <p>e) पावसाच्या पाण्याची साठवण टाकी - २०० घ.मी.</p> <p>f) पावसाच्या पाण्याचा रिचार्ज उथळ सच्छिद्र पर्यंत मर्यादित ठेवण्यात येईल.</p> <p>८) सदर प्रकल्पामुळे Water logging व Flooding अपेक्षित नाही व खालील बाबींची पूर्तता करण्यात आली आहे.</p> <p>a) वादळ पाणी निचरा करण्याकरिता जलवाहिनी - ६०० dia</p> <p>b) सीमा भिंत उभारण्यात येईल.</p> <p>c) एकूण ७४६७.९७ चौ.मी. Grass Pavers लावण्यात येईल जेणेकरून जास्तीत जास्त पाणी पाझरण्यात येईल.</p> <p>d) Storm Water Layout जोडण्यात आला आहे.</p> <p>९) बांधकाम कामगार काम करते वेळेस अस्वच्छ परिस्थिती निर्माण न होण्याकरिता खालील बाबींची पूर्तता करण्यात आली आहे.</p> <p>a) Mobile Toilets बसवण्यात येतील.</p> <p>b) कचरा विषमता करण्याकरिता वेगळे कुंड्या ठेवण्यात येतील.</p> <p>c) कीटक नाशक फवारे वेळोवेळी मारण्यात येतील.</p> <p>१०) सांडपाणी प्रक्रिया संयंत्राबाबत सविस्तर माहितीचा तपशील खालील प्रमाणे -</p> <p>S.T.P. 1 - ६५० मी./ दिन</p> <p>S.T.P. 2 - ५० मी./ दिन</p> <p>Sewage treatment technology-MBBR technology</p> <p>Input B.o.D 3 days @ 27deg C >350 mg/lit</p> <p>Output B.o.D 3 days @ 27deg C <10 mg/lit</p> <p>११) उपचार केलेल्या अतिरिक्त पाण्याची C.P.C.B. च्या नियमावलीनुसार विल्हेवाट करण्यात येईल</p> <p>१२) सांडपाणी यंत्रणेमधून निघणाऱ्या गाळाची विल्हेवाट C.P.H.E.E.O च्या नियमावलीनुसार करण्यात</p>
----	--

	<p>येईल.</p> <p>१३) दुहेरी नलिका वापरून grey व black water वेगळे करण्यात येईल.</p>
३)	<p>Vegetation</p> <p>१) सदर प्रकल्पामुळे जैवविविधतेवर कोणताही धोका निर्माण होणार नाही.</p> <p>२) झाडे लावण्याचा नकाशा जोडण्यात आला असून त्याचा तपशील खालील प्रमाणे आहे.</p> <p>a) विद्यमान झाडे - ०</p> <p>b) कापण्याकरिता प्रस्तावित झाडे - ०</p> <p>c) प्रत्यारोपणकरिता प्रस्तावित झाडे - ०</p> <p>d) प्रस्तावित नवीन झाडे - ७३८ (किमान ८० चौ. मी. ला १ झाड)</p> <p>e) सदर जमिनीवरील वरची माती पुनर्वापर करण्यास प्रस्तावित आहे.</p> <p>f) झाडे लावताना मुळ प्रजातींना प्राधान्य दिले जाईल.</p>
४)	<p>Fauna</p> <p>सदर प्रकल्पामुळे जीवजंतुंवर कोणताही मुख्य प्रभाव होणार नाही.</p>
५)	<p>Air Environment</p> <p>१) सदर प्रकल्पामुळे हवेतील प्रदुषणावर कोणताही मुख्य प्रभाव होणार नाही व सध्या असलेली वायु प्रदुषण पातळी खालील प्रमाणे आहे.</p> <p>वाहनांच्या उत्सर्जनामुळे या प्रकल्पाचा कुठल्याही प्रकारची उष्णता होती. वाहनातून गॅस उत्सर्जन कमी करण्यासाठी, पुरेशी विस्तृत अंतर्गत रस्ता असलेल्या प्रकल्पात योग्य प्रवेश / निर्गमन प्रस्तावित केला आहे. साइटवर आणि आसपासच्या मूलभूत वातावरणाची हवा गुणवत्ता पाहण्यात आली आहे आणि खालील तक्त्यामध्ये दर्शविली आहे. चूका आधारभूत वातावरणाची हमी योग्य मर्यादित असल्याने, वायूंचे एकाग्रतामध्ये परिणामस्वरूप वाढ देखील मर्यादेच्या आत असेल.</p> <p>२) वायु प्रदुषण कमी करण्याकरिता खालील बाबींची पूर्तता करण्यात आली आहे.</p> <p>a) ३.० मी. उंचीचे Barricading</p> <p>b) धुळीवर पाणी शिंपडणे</p> <p>c) धुळ मास्क घालणे</p> <p>d) चाके धुण्याची सोय बसवणे</p> <p>e) ट्रक्सच्या हौदाला ताडपत्रीने झाकणे.</p> <p>३) वाहतुक नियंत्रण व पार्किंग नकाशा जोडण्यात आला असून त्याचा तपशील खालील प्रमाणे आहे. सदर पार्किंग प्रचलित बांधकाम नियमावलीप्रमाणे आहे व क्षेत्र खालील प्रमाणे आहे.</p> <p>a) रस्ते व driveways - ५५८३ चौ. मी.</p> <p>४) सदर प्रकल्पाकरिता D.G. Set प्रस्तावित असून exhaust pipe C.P.C.B. च्या प्रचलित नियमावली नुसार लावण्यात येतील.</p>
6)	<p>Aesthetics</p> <p>१) सदर प्रकल्पामधील इमारत प्रचलित बांधकाम नियमावलीनुसार प्रस्तावित असल्याने दोन इमारतीमधील अंतर, set back अंतर व इमारत उंचीचा मोठा प्रभाव राहणार नाही व त्याचा तपशील खालीलप्रमाणे आहे.</p> <p>a) जास्तीत जास्त इमारतीची उंची - ४४.९० मी.</p> <p>b) Set back Margin - १२.०० मी.</p> <p>c) दोन इमारतीमधील अंतर - ९.०० मी.</p> <p>d) वळण त्रिज्या - ९ मी.</p> <p>२) अस्तित्वात असलेल्या इमारतीकरिता प्रवेश व प्रस्तावित असलेल्या इमारतींचा प्रवेश वेगळा असेल जेणेकरून रहिवासींना कमी असुविधा होईल.</p> <p>३) सदर प्रकल्पाच्या परिसरात पुरातन शाश्वत साइट नाही.</p>
७)	<p>Building Materials</p>


	<p>१) Fly ash Notification, 1999 प्रमाणे Fly ash चा वापर R. C. C. बांधकाम व Plaster साठी प्रस्तावित आहे.</p> <p>२) Reinforcement चा वापर प्रस्तावित आहे.</p> <p>३) Masonite HDF SKIN DOOR Shutter चा वापर प्रस्तावित आहे.</p> <p>४) ceramic and vitrified tile चा वापर प्रस्तावित आहे</p> <p>५) खिडक्यांकरिता Plain Float Glass चा वापर प्रस्तावित आहे.</p>
८)	<p>Solid Waste Management</p> <p>१) घन कचरा नियंत्रणा बाबत खालील बाबींचा समावेश आहे.</p> <p>a) सुका व ओला कचरा वेगवेगळ्या कुंड्यांमध्ये ठेवला जाईल</p> <p>b) सुका कचरा – ११९३ kg / day</p> <p>c) ओला कचरा – १६७६ kg / day</p> <p>(किमान ०.३ kg / person/ day प्रमाणे)</p> <p>एकूण – २८६९ kg / day</p> <p>d) सुका कचरा अधिकृत विक्रेत्याला दिला जाईल</p> <p>e) ओला कचरा १६७६ kg / day क्षमतेच्या Organic Waste Composter मधून प्रक्रिया करून त्याचा वापर खत म्हणून केला जाईल.</p> <p>f) Solid Waste (Management) Rules, 2016, E- Waste (Management) Rules 2016 & Plastic Waste (Management) Rules, 2016 च्या तरतुदीचे पालन करण्यात येईल.</p>
९)	<p>Energy Conservation</p> <p>१) वीज आवश्यकता</p> <p>a) स्रोत – M.S.E.D.C.L.</p> <p>b) बांधकाम वेळेस - १०० KW</p> <p>c) ऑपरेशन चरण – ६६४८ KW</p> <p>d) D.G. Set – १ nos x ८२.५KVA, २ nos x १२५ KVA</p> <p>e) Transformer – १ nos x ३२० KVA + १ nos x १२५ KVA</p> <p>२) खालील ऊर्जा संरक्षण पद्धतीचा समावेश करण्यात आला आहे .</p> <p>a) सामान्य क्षेत्रामध्ये एकूण २६.२६ KW चे LED दिवे लावण्यात येतील</p> <p>b) गरम पाण्याकरिता एकूण १२००० चे Solar Water Heating system लावण्यात येतील</p> <p>c) ऊर्जा कार्यक्षम असलेले पाण्याचे पंप बसवण्यात येतील.</p> <p>d) जिने, लिफ्ट, पार्किंग भागात Timer बसवण्यात येतील.</p> <p>e) Solar Photovoltaic Generation (Connected load च्या किमान १%) = २० KW बसवण्यात येईल</p> <p>g) खिडकीला बसवण्यात येणाऱ्या काचेचे गुणधर्म खालील प्रमाणे</p> <p>Transmittance – ०.६५ %</p> <p>३) E.C.B.C. नियमांचे पालन करण्यात येईल</p> <p>४) अग्निशमन विभागाने जारी केलेला ना हरकत दाखला प्रमाणे Fire Fighting System बसवण्यात येतील</p>

साधारण पर्यावरणीय अटी व शर्ती

१. विषयांकित प्रकल्पामध्ये State Environmental Impact Assessment Authority कडून Environment Clearance दि.१६/०३/२०१५ रोजी चे पत्र क्र. SEAC/२०११/CR१७८/TC२ अन्वये प्रमाणपत्र प्राप्त केले असून त्यामधील अटी व शर्तीचे काटेकोरपणे पालन करणे प्रकल्पाचे अर्जदार /मालक/ विकासक व वास्तुविशारद/ अभियंता/ स्ट्रक्चरल अभियंता/सुपरवायझर यांचेवर बंधनकारक राहील. तसेच सदर सुधारीत प्रकल्पामध्ये पर्यावरण अनुमती एकूण (Gross FSI+ Non FSI) बांधकाम क्षेत्र १,४६,१५७.८३ चौ.मी. एवढ्या क्षेत्रासाठी देण्यात आलेली आहे.
२. अर्जदाराने सादर केलेल्या संकल्पनात्मक नकाशात कोणताही फेरबदल केल्यास अर्जदाराने Environment Cell कडे अर्ज सादर करणे बंधनकारक राहील.
३. नैसर्गिक निचरा व्यवस्थेमध्ये बदल करता येणार नाही व पाणथळ जागेत कोणतेही बांधकाम करता येणार नाही.
४. पाणी कार्यक्षम उपकरणांचा वापर करणे आवश्यक राहील. किमान १ रिचार्ज प्रति ५०० चौ.मी. बांधकाम क्षेत्रासाठी नियोजित करणे आवश्यक राहील व पावसाच्या पाण्याचा रिचार्ज उथळ सच्छिद्र पर्यंतच मर्यादीत ठेवावा लागेल. पाणी रिचार्ज करणे शक्य नसल्यास पावसाच्या पाण्याची साठवण टाकी करावी लागेल. तसेच भुजल उपसाकरीता सक्षम अधिकाऱ्याकडून परवानगी घ्यावी लागेल.
५. विकास नियंत्रण नियमावलीनुसार आवश्यक खुल्या जागेत किमान २०% क्षेत्र Grass Pavers किंवा इतर पदपथ वापरून भेदय ठेवणे आवश्यक आहे.
६. ओला व सुक्या कचऱ्याकरीता सदर जागेत स्वतंत्र कंटेनरची सोय करून सुखा कचरा अधिकृत विक्रेत्याला द्यावा लागेल. विघटन होणाऱ्या ओल्या कचऱ्यासाठी गांडूळखत प्रकल्प अर्जदार / विकासक / जमिनमालक यांनी स्वखर्चाने करावयाचा आहे.
७. Solid Waste (Management) Rules, 2016, E- Waste (Management) Rules 2016 & Plastic Waste (Management) Rules 2016 च्या तरतुदीचे पालन करावे लागेल.
८. सांडपाणी यंत्रणे मधून निघणाऱ्या गाळाची विल्हेवाट Central Public Health and Environmental Engineering Organisation (C.P.H.E.E.O.) च्या नियमावली प्रमाणे करावी लागेल.
९. प्रक्रिया केलेल्या सांडपाण्याचा वापर flushing व landscaping साठी करावा लागेल तसेच अतिरीक्त सांडपाण्याची विल्हेवाट Central Pollution Control Board (C.P.C.B.) च्या नियमावलीप्रमाणे करावी लागेल.
१०. Energy Conservation Building Code (E.C.B.C.) च्या तरतुदीचे पालन करावे लागेल व सामान्य क्षेत्रामध्ये L.E.D. दिवे लावावे लागतील.
११. सौर उर्जेवर पाणी तापविण्यासाठीची यंत्रणा अर्जदार / विकासक / जमिनमालक यांनी इमारतीचे वापरापूर्वी स्वखर्चाने करावयाची आहे.
१२. बांधकामातील वेस्टची व्यवस्था व विल्हेवाट लावण्यासाठी लावण्यासाठी Construction and Demolition Waste Rules 2016 चे पालन करावे लागेल व जमिनीवरील मातीचा जास्तीत जास्त पुनर्वापर करावा लागेल.
१३. पर्यावरण अनुकूल असलेले बांधकाम साहित्य वापरावे लागेल.
१४. Fly ash Notification, १९९९ प्रमाणे Fly ash चा वापर R. C. C. , बांधकाम व Plaster साठी करावा लागेल.
१५. धुळ, धुर व इत्यादी वायु प्रदूषण टाळण्याकरिता ३ मी. उंचीचे barricading, ताडपत्री, wheel washing व पाणी शिंपडणे इ. चा वापर लागेल.
१६. D.G. Set चा exhaust pipe C.P.C.B. च्या नियमावलीनुसार करावा लागेल.

१७. सदर जमिनीचे क्षेत्रफळ ५०० चौ.मी. पेक्षा जास्त आहे. त्यामुळे प्रत्येक ८० चौ.मी. क्षेत्रासाठी एक झाड याप्रमाणे वृक्ष लागवड करणे व त्यांची जोपासना करणे अर्जदार / विकासक / जमिनमालक यांचेवर बंधनकारक राहील तसेच झाडे तोडल्यास प्रति झाडाच्या बदल्यात ३ लावणे बंधनकारक राहील.
१८. बांधकाम कामगारांकरीता पिण्याचे पाणी व स्वच्छता विषयक सुविधा देणे बंधनकारक राहील.
१९. पर्यावरणाच्या नियमांचे उल्लंघन केल्यास Environment (Protection) Act १९८६ च्या कलमान्वये अर्जदार यांचेवर कायदेशीर कारवाई केली जाईल.
२०. केंद्र शासनाच्या पर्यावरण विभागाकडील दि.९ डिसेंबर २०१६ रोजीचे Notificaton No. ५.०.३९९९(E) व दि. १३/४/२०१७ रोजीच्या शासन अधिसूचना TPS-१८१६/CR-४४३/१६-DP Directors/ UD-१३ अधिसूचन मधील अटी व शर्तीचे व अर्जदार यांनी सादर केलेल्या Form १A व Consolidated Statement च्या अर्जातील तरतूदींचे पालन करणे व या तरतूदींच्या पूर्ततेबाबत अहवाल Qualified Building Environment Auditor मार्फत दर ५ वर्षांने सादर करणे अर्जदार यांचेवर बंधनकारक राहील.
२१. अर्जदाराने पर्यावरण पायाभूत सुविधा बाबतचा अहवाल व Qualified Building Environment Auditor तर्फे कार्यपूर्तीबाबत प्रमाणपत्र भोगवटा प्रमाणपत्र घेणेपूर्वी सादर करणे बंधनकारक राहील. वरील नमूद केलेल्या अटी व शर्तीची पूर्तता झाल्यानंतर भोगवटा प्रमाणपत्र देण्यात येईल.
२२. प्रस्तावातील इमारतीखालील व इतर विकसनशील जमिनीवरील २० सें.मी पर्यंत मातीच्या वरच्या थराचे जतन करून योग्य ठिकाणी साठा करून प्रस्तावातील झाडांच्या वृक्षारोपणासाठी वापरणे बंधनकारक राहील.
२३. सार्वजनिक, खासगी, यांत्रान्वित, पादचारी व इतर वाहतुकीच्या नियोजनासाठी सर्व समावेशक गतिशीलता आराखडा तयार करून Minisrty of Urban Development (MoUD) आणि Urban and Regional Development Plans Formulation and Implementation (URDPFI) च्या मार्गदर्शक तत्वांचे पालन करणे बंधनकारक राहील.
२४. पर्यावरणीय अटीच्या पूर्ततेसाठी व अंमलबजावणी साठी पर्यावरणीय व्यवस्थापन आराखडा (Environment Management Plan) तयार करणे बंधनकारक राहील. पर्यावरण पायाभूत सुविधेच्या देखभाल दुरुस्तीकरिता Environment Monitoring Cell ची स्थापना करावी लागेल ज्यामध्ये सहकारी गृहनिर्माण संस्थेचे पदाधिकारी असतील जेणेकरून प्रस्तावित सुविधेची कायमस्वरूपी देखभाल दुरुस्ती करण्यात येईल.
२५. वरील अटी व शर्तीच्या व्यतिरिक्त Water (Prevention and Control of Pollution) Act १९७४, the Air (Prevention of Pollution) Act १९८१, the environment (Protection) Act १९८६ व त्या अंतर्गत असलेल्या सर्व नियम, Hazardous wastes public liability Insurance Act, १९९१ व त्या अंतर्गत amendment च्या तरतूदींचे पालन करणे बंधनकारक राहील.
२६. सदर प्रकरणी रक्कम रु. ५,००,०००/- छाननी फी पर्यावरण अनुमतीसाठी भरण्यात आलेली असून प्राधिकरणाच्या ठरावात या फी मध्ये बदल झाल्यास सदर रक्कम प्राधिकरणाकडे जमा करणे अर्जदार यांचेवर बंधनकारक राहील.
२७. अर्जदार यांनी सादर केलेली कोणतीही माहिती अथवा कागदपत्रे ही चूकीची / दिशाभूल करणारी आढळल्यास प्रस्तुतची विकास परवानगी व प्रारंभ प्रमाणपत्र रद्द समजणेत येईल.

मा. महानगर आयुक्त तथा मुख्य कार्यकारी अधिकारी यांचे मान्यतेने


 महानगर आयुक्त
 तथा
 मुख्य कार्यकारी अधिकारी,
 पुणे महानगर प्रदेश विकास प्राधिकरण,
 पुणे यांचे करिता.



PERVIOUS SANCTION				
STAIRCASE (SQ)	PASSAGE	PERMISSIBLE TERRACE (20%)	PROPOSED TERRACE	LIFT+ L.M.R
230.44	289.79	787.64	188.16	34.27
230.44	289.79	787.64	188.16	34.27

WATER STATEMENT			
RESIDENTIAL & COMMERCIAL BUILDING	U.G.W. TANK (IN LTR)	D.T.W. TANK (IN LTR)	
A. ONGOING BUILDINGS AS PER PREVIOUS SANCTION			
A7 BUILDING	71700.00	47800.00	
A3 BUILDING	107138.00	71425.00	
B. PROPOSED BUILDINGS AS PER UDCPR 2020			
A1 & A2 BUILDING	387200.00	84800.00	
B2 BUILDING	242200.00	71500.00	
A3, A4, A5 & A6 BUILDING	228800.00	161200.00	
A4 BUILDING	244500.00	78000.00	
TOTAL REQUIRED (A+B)	189538.00	544725.00	
TOTAL PROVIDED	189538.00	544725.00	

TOTAL PARKING STATEMENT			
PARTICULAR	CAR	BICYCLES	CYCLE
A. ONGOING BUILDINGS AS PER PREVIOUS SANCTION			
A7 BUILDING	47	137	137
A3 BUILDING	47	137	137
B. PROPOSED BUILDINGS AS PER UDCPR 2020			
A1 & A2 BUILDING	57	245	0
B2 BUILDING	57	245	0
A3, A4, A5 & A6 BUILDING	140	609	0
A4 BUILDING	83	253	0
TOTAL PARKING REQUIRED (A+B)	384	1600	221
TOTAL PARKING PROVIDED	384	1600	221


BUILDING F.S.I. CALCULATION- B3 BUILDING											
FLOORS	FSI	ENCL. BALCONY	PERM. BALCONY	DRY BALCONY	FIRE STAIRCASES E (S1)	STAIRCASES E (S2)	PASSAGE	PERMISSIBLE TERRACE (20%)	PROPOSED TERRACE	LIFT+ L.M.R	TEN
FIRST FLOOR	411.92	51.79	61.41	19.53	33.02	33.96	37.13	82.36	20.16	6	6
SECOND FLOOR	414.30	62.16	61.41	19.53	33.02	33.96	85.04	82.36	20.16	6	6
THIRD FLOOR	452.44	67.87	67.84	19.53	33.02	33.96	37.13	90.49	20.16	6	6
FOURTH FLOOR	452.44	67.87	67.84	19.53	33.02	33.96	37.13	90.49	20.16	6	6
FIFTH FLOOR	452.44	67.87	67.84	19.53	33.02	33.96	37.13	90.49	20.16	6	6
SIXTH FLOOR	452.44	67.87	67.84	19.53	33.02	33.96	37.13	90.49	20.16	6	6
SEVENTH FLOOR	452.44	67.87	67.84	19.53	33.02	33.96	37.13	90.49	20.16	6	6
EIGHTH FLOOR	509.81	76.47	76.44	23.75	33.02	33.96	42.98	101.96	23.50	7	7
NINTH FLOOR	550.74	82.91	82.56	23.75	33.02	33.96	37.13	110.15	24.03	7	7
TENTH FLOOR	550.74	82.91	82.56	23.75	33.02	33.96	37.13	110.15	23.50	7	7
ELEVENTH FLOOR	550.74	82.91	82.56	23.75	33.02	33.96	37.13	110.15	24.03	7	7
TWELFTH FLOOR	550.74	82.91	82.56	23.75	33.02	33.96	37.13	110.15	23.50	7	7
THIRTEENTH FLOOR	550.74	82.91	82.56	23.75	33.02	33.96	37.13	110.15	24.03	7	7
FOURTEENTH FLOOR	550.74	82.91	82.56	23.75	33.02	33.96	37.13	110.15	23.50	7	7
TOTAL	6881.63	1029.27	1027.70	302.96	482.28	475.44	578.43	1375.65	307.81	63.54	91

BUILDING F.S.I. CALCULATION- A7 BUILDING											
FLOORS	FSI	ENCL. BALCONY	PERM. BALCONY	DRY BALCONY	FIRE STAIRCASES E (S1)	STAIRCASES E (S2)	PASSAGE	PERMISSIBLE TERRACE (20%)	PROPOSED TERRACE	LIFT+ L.M.R	TEN
FIRST FLOOR	269.81	40.47	40.45	13.44	53.99	13.44	12.93	16.51	16.46	18.57	4
SECOND FLOOR	270.49	40.57	40.55	13.44	53.99	13.44	12.93	16.51	16.46	18.57	4
THIRD FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
FOURTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
FIFTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
SIXTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
SEVENTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
EIGHTH FLOOR	269.81	40.47	40.42	13.44	53.99	13.39	12.93	16.51	16.46	18.57	4
NINTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
TENTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
ELEVENTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
TWELFTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
THIRTEENTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
FOURTEENTH FLOOR	289.83	43.47	43.47	13.44	59.91	13.44	12.93	16.51	16.46	18.57	4
TOTAL	3978.22	598.73	598.51	186.16	784.67	187.94	181.02	231.14	230.44	289.79	342.7
AREA TAKEN IN FSI	0.06	0.06	0.06	0.06	167.94	0.00	0.00	0.00	0.00	0.00	0



OPEN SPACE AREA CALCULATION			
OPEN - SPACE 01			
A	0.50	X	48.00
X	56.00	=	1320.72
OPEN - SPACE 02			
A	0.50	X	44.51
X	50.95	=	1133.89
B	0.50	X	29.85
X	3.91	=	58.36
C	0.50	X	6.40
X	1.38	=	5.91
TOTAL			
			1198.16
OPEN - SPACE 03			
A	0.50	X	60.37
X	54.76	=	1979.97
OPEN - SPACE 04			
A	0.50	X	27.30
X	31.19	=	425.74
OPEN - SPACE 05			
A	0.50	X	32.27
X	42.04	=	678.32
OPEN - SPACE 06			
A	0.50	X	15.37
X	39.35	=	279.35
B	0.50	X	10.27
X	21.70	=	111.43
C	0.50	X	8.96
X	21.70	=	96.13
D	0.50	X	1.62
X	12.02	=	9.74
E	0.50	X	0.58
X	2.80	=	1.06
F	0.50	X	9.18
X	35.34	=	156.68
G	0.50	X	24.43
X	58.61	=	715.98
H	0.50	X	3.71
X	41.93	=	77.78
I	0.50	X	3.01
X	44.90	=	68.02
J	0.50	X	16.01
X	44.90	=	359.42
K	0.50	X	16.01
X	44.90	=	359.42
TOTAL			
			1175.51
TOTAL OPEN SPACE PROVIDED			
			7489.42
TOTAL OPEN SPACE REQUIRED			
			7489.20

LOCATION PLAN NTS



INTERNAL ROAD AREA CALC.			
01	0.50	X	0.01
02	0.50	X	0.01
03	0.50	X	0.01
04	0.50	X	0.01
05	0.50	X	0.01
06	0.50	X	0.01
07	0.50	X	0.01
08	0.50	X	0.01
09	0.50	X	0.01
10	0.50	X	0.01
11	0.50	X	0.01
12	0.50	X	0.01

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781
24037124/24035273
Fax : 24044532/24024068
24023518
Email : jwater@mpcb.gov.in
Web At : <http://mpcb.gov.in>

Kalpataru Point, 3rd & 4th floor,
Sion- Matunga Scheme Road No. 8,
Opp. Cine Planet Cinema, Near Sion Circle,
Sion (E), Mumbai - 400022

Infrastructure /Red/LSI

Consent order No: Format I.0/BO/JD (WPC)/UAN-068877/CE/CC-1909000442

Date 16/09/2019

To,

M/s. Kumar Kering Properties 'Kumar Palmspring',

S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B

Village: Undri, Tal: Haveli, Dist: Pune.

Sub: Revalidation of Consent to establish with expansion for Residential Project granted under Red Category.

Ref: 1. Your Application vide UAN No. -0000068877 Dated: 12/03/2019.

2. Minutes of Consent Committee meeting held on 20/07/2019.

For: Revalidation Consent to Establish with expansion for Residential project under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous and Other Wastes (M & TM) Rules, 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to commissioning of the project or of 5 years, whichever is earlier.
2. The proposed capital investment of the project is Rs. 113.79 Cr.
(As per C.A certificate submitted by project proponent)

Revalidation of Consent to Establish with expansion is valid for construction of Residential Project named as M/s. Kumar Kering Properties 'Kumar Palmspring', S.No.12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B Village: Undri, Tal: Haveli, Dist: Pune, for total plot area of 63.471.23 Sqm and proposed total construction built up area 1.46,157.83 Sqm including utilities and services (As per Construction Commencement Certificate issued by local body).

3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Treated effluent	NIL	NA	NA
2.	Domestic effluent	600.0	As per Schedule -I	60% should be reused & recycled and remaining should be discharged in municipal sewer

4. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. No.	Description	Capacity	Number of Stack	Standards to be achieved
1.	DG Set	82.5 KVA	1	As Per Schedule -II
2.	DG Set	125 KVA	1	As Per Schedule -II

5. Conditions under Solid Waste Management Rules, 2016:

Sr. no.	Type Of Waste	Quantity & UOM	Treatment	Disposal
1	Wet garbage	1676.0 Kg/Day	Organics waste Converter with composting facility / Biogas digester with composting facility	Used as Manure
2	Dry garbage	1193.0 Kg/Day	—	Segregate and Hand over to Local Body for recycling
3.	STP sludge	60.0 Kg/day	STP	Used as manure

6. Conditions under Hazardous and Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste; NIL.
7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same should be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
9. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
10. Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.
11. Project Proponent shall install online monitoring systems for BOD, TSS and flow at the outlet of STP.
12. Project Proponent shall provide Organic waste digester with composting facility or Biogas digester with composting facility.
13. The applicant should comply with the conditions stipulated in Environmental Clearance Obtained from PMRDA, Pune dt.10/11/2017 for total plot area 78,600.0 Sqm and total construction BUA 1,46,157.83 Sqm.

For and on behalf of the
Maharashtra Pollution Control Board

(E. Ravendiran, IAS)
Member Secretary

Received Consent fee of -

Sl. No.	Amount (Rs.)	Transaction No.	Date	Drawn On
1	2,27,580/-	HDFCR52019031569142037	15/03/2019	HDFC Bank

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune-II -- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updating purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A) As per your application, you have proposed to install of Sewage Treatment Plants (STP) with the design capacity of 700.0 CMD
- B) The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for PH
01	BOD (3 days 27°C)	10
02	Suspended Solids	20
03	COD	50
04	Residual chlorine	1 PPM

C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.

D) Project proponent shall operate STP for five years from the date of obtaining occupation certificate.

The Board reserves its rights to review plans, Specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant should obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and alter such or addition thereto.

- 2) The industry should ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 3) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Domestic purpose	766.0

- 4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr No	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Quantity	DOM	S	SO
1.	DG Set (82.5 KVA)	Acoustic enclosure	2.00	HSD	24.4	Ltr/Hr	-	-
2.	DG Set (125 KVA)	Acoustic enclosure	2.24	HSD	30.25	Ltr/Hr	-	-

* Above roof of the building in which it is installed.


2. The applicant should operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3. The Applicant should obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-II
Details of Bank Guarantee

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish	Rs. 10 lakh	15 Days	Towards Compliance of EC and consent conditions.	Up to Commissioning of the project	COU


Maharashtra Pollution Control Board

Schedule-IV

General Conditions:

The following general conditions shall apply as per the type of the industry.

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
 - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - g) D.G. Set shall be operated only in case of power failure.
 - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - i) The applicant shall comply with the notification of MOEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rules, 2016 & E-Waste (M) Rules, 2016.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) The treated sewage shall be disinfected using suitable disinfection method
- 9) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992
- 10) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.



सत्यमेव जयते

पीएनए/ पीएनए(४)/ एचएसजी /
(टीसी) /१६०१४/२०१४-२०१५

दिनांक २८/०८/२०१४

महाराष्ट्र शासन
सहकार व वस्त्रोद्योग विभाग**नोंदणी प्रमाणपत्र**

या प्रमाणपत्राद्वारे प्रमाणित करण्यात येत आहे की,

कुमार पामसिंग सहकारी गृहरचना संस्था मर्या.,स.नं. १३ हि नं. १/२/१, स नं. १२, हि नं. ३बी, ४, ५बी, ६/१, ७, १/१, १/३, २८, १२/१, ५ए/१, ३ए, उंड्री,
ता.हवेली, जि. पुणे ६०.ही संस्था महाराष्ट्र सहकारी संस्थांचे अधिनियम १९६० मधील (सन १९६१ चा
महाराष्ट्र अधिनियम क्रमांक २४) कलम ९ (१) अन्वये नोंदण्यात आलेली आहे.उपरिनिर्दिष्ट अधिनियमाच्या कलम १२ (१) अन्वये व महाराष्ट्र सहकारी
संस्थांचे नियम, १९६१ मधील नियम क्रमांक १० (१) अन्वये संस्थेचे

वर्गीकरण गृहनिर्माण संस्था असून

उपवर्गीकरण भाडेकरु सहभागिदारी गृहनिर्माण संस्था आहे.



पुणे

दिनांक २८/०८/२०१४

(आर. बी. कुलकर्णी)
उपनिबंधक, सहकारी संस्था
पुणे शहर (४) पुणे



कार्यकारी अभियंता कार्यालय
मलनि:साराण देखभाल व दुरुस्ती
पुणे महानगरपालिका
जावक क्र.:-- ६०७९
दिनांक :- २६/०३/२०२२

प्राति,
मे.कुमार केरींग डेव्हलपर्स एल.एल.पी तर्फे
भागीदार केवलकुमार केसरीमल जैन
कुमार कंपनीटल, २४१३, ईस्ट स्ट्रीट, कॅम्प,
पुणे-४११००९

विषय: स.नं.१२(पै),१३(पै) मौजे उंड्री, पुणे या मिल्कती मधील नियोजित बांधकामासाठी इनव्हायरमेंटल क्लियरन्ससाठी ड्रेनेज विभागाकडून प्रोव्हीजनल दाखला देणे बाबत.

संदर्भ : १) केंद्रीय पर्यावरण व वन मंत्रालय नवी दिल्ली यांचेकडील अधिसूचना दि.१४/०९/२००६

२) मे.कुमार केरींग डेव्हलपर्स एल.एल.पी तर्फे भागीदार केवलकुमार केसरीमल जैन यांचा खाल्याकडील प्रस्ताव आ.क्र.२०८२ दि.०४/०२/२०२२.

३) मा.अधिक्षक अभियंता, मलनि:साराण देखभाल दुरुस्ती विभाग यांची प्रशासकीय मान्यता
ठ.क्र.मलनि/EC/८९/२२ दि.१६/०३/२०२२.

विषयांकित मिल्कती साठी संदर्भ क्र.१ अन्वयेच्या अधिसूचनेनुसार मलनि:साराण देखभाल दुरुस्ती विभागाकडील इनव्हायरमेंटल क्लियरन्ससाठी प्रोव्हीजनल दाखला घेणे आवश्यक आहे. त्यानुसार विषयांकित मिल्कतीकरीता इनव्हायरमेंटल क्लियरन्ससाठी ड्रेनेज विभागाकडून प्रोव्हीजनल दाखला मिळणेकरीता संदर्भ क्र.२ अन्वये मे.कुमार केरींग डेव्हलपर्स एल.एल.पी तर्फे भागीदार केवलकुमार केसरीमल जैन यांनी प्रस्ताव दाखल केला असून प्रस्तावा सोबत प्रस्तावित बांधकाम नकाशे, हमीपत्र इत्यादी कागदपत्रे दाखल केलेली आहे. प्रस्तावाची छाननी केली असता त्यामध्ये खालील बाबी नमुद केलेल्या आहेत.

१	मिल्कतीचे क्षेत्रफळ	-	१,८०,५६१.७४ चौ.मी.
२	बिल्टअप ऐरिया (एफ.एस.आय + नॉन एफ.एस.आय)	-	१,२२१११९.७९ चौ.मी + ५८४४२.०३ चौ.मी. = १,८०५६१.७४ चौ.मी.
३	इमारतीची संख्या	-	बिल्डींग १- उंची ४४.९० मी, बिल्डींग १५- उंची ४७.९० मी
४	निवासी सदनिका संख्या	-	११४२
५	व्यापारी गाळे संख्या	-	-
६	मान्य नकाशा प्रत	-	नाही.
७	जा.क्र.सी.सी. / दि.	-	नाही.
८	आवश्यक पाणी पुरवठा	-	निवासी वापराकरीता ७९४.०० KLD
९	तयार होणारे मैलापाणी	-	निवासी वापराकरीता ६७४.९० KLD
१०	सिंवेज टिंटमेंट प्लॅटची आवश्यक क्षमता	-	निवासी वापराकरीता ६७४.९० KLD
११	सिंवेज टिंटमेंट प्लॅटची प्रस्तावित क्षमता	-	निवासी वापराकरीता ७९०.०० KLD
१२	एस.टी.पी डिझाईन ची ड्राईज व अहवाल	-	सोबत जोडला आहे.
१३	मंजूर/प्रस्तावित नकाशात एस.टी.पी दर्शविलेला आहे का? असल्यास मोजमापे	-	लायसन्स आर्किटेक्ट यांनी सादर केलेल्या प्रस्तावित नकाशात दर्शविला आहे.
१४	पाण्याचा पूर्णवापर करण्याच्या उपाययोजना	-	गार्डन, फ्लशिंग व इत्यादी
१५	जगोवर एस.टी.पी. च्या अनुषंगाने सुरक्षेच्या दृष्टीने केलेल्या उपाय योजना	-	नियोजित एस.टी.पी.चे सुरक्षिततेच्या दृष्टीकोणातून एस.टी.पी.चे क्षेत्र लगातच्या बांधकामापासून स्वतंत्र ठेवण्यासाठी आवश्यक भित/गेट इ.बांधकाम करणे विकसकावर बंधनकारक राहिल.

मा.अधिक्षक अभियंता मलनि:सारण विभाग यांची संदर्भ क्र.३ अन्वये खालील अटीस अधिन राहून नियोजित बांधकामासाठी ड्रेनेज विभागाचा अंतरिम पर्यावरण ना हरकत दाखला (प्रव्हिजनल NOC) देणेस हरकत नाही.

- १) विषयांकित मिळकती मधील इमारतीतील बेसमेंट चे कनेक्शन व एस.टी.पी चे कनेक्शन पुणे महानगरपालिकेच्या ड्रेनेज लाईन यास जोडू नये.
- २) एकुण बांधकाम क्षेत्र (FSI+NON FSI) १८०५६१.७४ चौ.मी पर्यंत मर्यादीत ठेवावे तथापी अर्जाद्वारे सादर केलेल्या संकल्पनात्मक नकाशात कोणताही फेरबदल केल्यास अर्जाद्वारे सुधारीत अर्ज सादर करणे बंधनकारक राहिल.
- ३) नैसर्गिक निचरा व्यवस्थेमध्ये बदल करता येणार नाही. व पानथळ जागेत कोणतेही बांधकाम करता येणार नाही.
- ४) पाणी कार्यक्षम उपकरणांचा वापर करणे आवश्यक राहिल किमान एक रिचार्ज प्रति ५००० चौ.मी बांधकाम क्षेत्रासाठी नियोजित करणे आवश्यक राहिल. व पावसाच्या पाण्याचा रिचार्ज उथळ सखिद्र पर्यंतच मर्यादीत ठेवावे लागेल पाणी रिचार्ज करणे शक्य नसल्यास पावसाच्या पाण्याची साठवण टाकी करावी लागेल तसेच भुजल उपसाकरीता सक्षम अधिकाऱ्याकडून परवानगी घ्यावी लागेल.
- ५) आला व सुख्या कचऱ्या करीता सदर जागेत स्वतंत्र कंटेनर ची सोय करून सुखा कचरा अधिकृत विक्रेत्याला द्यावा लागेल. विघटन होणाऱ्या आला कचऱ्यासाठी गांडूळ खत प्रकल्प अर्जाद्वार/विकसक/जमिन मालक यांनी स्वखर्चाने करावयाचा आहे.
- ६) Solid Waste (Management) rules 2016 e-waste (Management) rules 2016 & Plastic waste (Management) rules 2016 च्या तरतुद्वे पालन करावे लागेल.
- ७) सार्वजनिक स्वच्छता व आरोग्य उपविधी २०१७ मधील सर्व अटी विकसकांवर बंधनकारक राहतील.
- ८) पर्यावरण विभाग व महाराष्ट्र पोल्युशन कन्ट्रोल बोर्ड यांचेकडील एस.टी.पी बाबत कन्सेंट ट ऑपरेट लेटर इ. प्राप्त करण्याची जबाबदारी इतर सर्व अटी विकसकावर बंधनकारक राहतील.
- ९) निवासी वापराकरीता ७१०.०० के.एल.डी प्रति दिन क्षमतेचा रहिवासी सांडपाणी प्रक्रिया यंत्रणा (Sewage Treatment Plant) बसवावा लागेल व सांडपाणी यंत्रणेमधून निघणाऱ्या गाळाची विल्हेवाट Central Public Health And Environmental Engineering Organisation (C.P.H.B.E.O.) च्या नियमावली प्रमाणे करावी लागेल.
- १०) प्रक्रिया केलेल्या सांडपाण्याचा वापर फ्लशिंग आणि लॅंडस्कोपिंग साठी करावा लागेल तसेच अतिरिक्त सांडपाण्याची विल्हेवाट सेंट्रल पोल्युशन कन्ट्रोल बोर्ड (C.P.C.B) नियमावली प्रमाणे करावी लागेल.
- ११) Energy Conservation Building code (E.C.B.C.) च्या तरतुदीचे पालन करावे लागेल व सामान्य क्षेत्रामध्ये L.E.D दिवे लावावे लागतील.
- १२) सौर उर्जेवर पाणी तापविण्यासाठी ची यंत्रणा अर्जाद्वार/विकसक/जमिनमालक यांनी इमारतीचे वापरापूर्वी स्वखर्चाने करावयाची आहे.
- १३) बांधकामातील वेस्टेजची व्यवस्था व विल्हेवाट लावण्यासाठी Constraction and demolition Waste rules 2016 चे पालन करावे लागेल व जमीनीवरील मातीचा जास्तीत जास्त पुर्नवापर करावा लागेल.
- १४) पर्यावरण अनुकूल असलेले बांधकाम साहित्य वापरावे लागेल.
- १५) D.G Set चा exhaust pipe C.P.C.B च्या नियमावलीनुसार करावा लागेल.
- १६) विषयांकित मिळकतीच्या जमिनीच्या क्षेत्रफळानुसार पुणे महानगरपालिकेच्या मान्य धोरणानुसार आवश्यक झाडे/वृक्ष लागवड करणे व त्याची जोपसना करणे अर्जाद्वार/विकसक/जमिनमालक यांचेवर ते बंधनकार राहिल.
- १७) बांधकाम कामगारांकरिता पिन्याचे प्राणी व स्वच्छता विषयक सुविधा देणे बंधनकारक राहिल.
- १८) पर्यावरणाच्या नियमावलीचे उल्लंघन केल्यास Environment (Protection) Act 1986 च्या कलमान्वये अर्जाद्वार यांचेवर कायदेशीर कारवाई केली जाईल.

२१) विषयांकित मळकती मधील नियोजित इमारतीचे बांधकाम मंजूर नकाशा नुसार पूर्ण झाले नंतर संबंधित क्षेत्रिय कार्यालयाकडे एस.टी.पी चा नाहारकत प्रमाणपत्रा करीता प्रस्ताव दाखल केल्यानंतर भविष्यात म.न.पा.चे तत्कालीन धोरणानुसार व नियमानुसार योग्य ती पुर्तता केल्यानंतर एस.टी.पी साठी अंतिम नाहारकत दाखला मिळणेकामी स्वतंत्र पुणे संबंधित क्षेत्रिय कार्यालयाकडे मंजूरी घेणे विकासाकावर बंधनकारक राहिल.

२०) अर्जदार यांना सादर केलेली कोणतीही माहिती अथवा कागदपत्रे हि चुकीची/ दिशाभूल करणारी अढळल्यास प्रस्तुतची इनव्हायमेंटल क्लिअरन्सकरीता दिलेला प्रोव्हिजनल दाखला रद्द करण्यात येईल.

तरी स.नं.१२(पै),१३(पै) मौजे उंड्री, पुणे, या मिल्कती मधील नियोजित बांधकामासाठी वरील क्र.१ ते २० या अटीवर इनव्हायरमेंटल क्लियरन्सकरीत ड्रेनेज विभागाकडून प्रोव्हीजनल दाखला संबंधित विकसकास देणे करीता मा.अधिक्षक अभियंता, मलनि:सारण विभाग यांची ठ.क्र.मलनि/EC/८९/२२ दि.१६/०३/२०२२ अन्वये मान्यता मिळालेली असून त्यानुसार सदरचा दाखला आपणास देण्यात येत आहे.

शाखा अभियंता

उप अभियंता

कार्यकारी अभियंता

मलनिःसारण देखभाल व दुरुस्ती
पुणे महानगरपालिका

मलनिःसारण देखभाल व दुरुस्ती
पुणे महानगरपालिका

मलनिःसारण देखभाल व दुरुस्ती
पुणे महानगरपालिका



स्वराज्य पाणी पुरवठा विभाग
पुणे महानगरपालिका, पुणे
जावक क्र. ८१५३
दिनांक :- १७/०२/२०२२

प्रती,
मे. कुमार केरींग डेव्हलपर्स एल.एल.पी तर्फे भागीदार
श्री. केवल कुमार केसरीमल जैन
कुमार कॅपिटल २४१३ ईस्ट स्ट्रीट
कॅम्प पुणे ४११००९.

विषय -

स.नं. १२/१/४, १२/१२/३, १२/१/२, १२/१/३, १२/२, १२/३अ, १२/३बी, १२/४,
१२/५अ/१, १२/५बी, १२/६/१, १२/७/१, १२/८, १२/१२/१, १३/१/२/१, उंडी येथील
प्रकल्पासाठी प्यावरण ना-हरकत प्रमाणपत्रासाठी पाणीपुरवठा विभागाचे अभिप्राय बाबत.

संदर्भ :- १) मे. कुमार केरींग डेव्हलपर्स एल.एल.पी तर्फे भागीदार श्री. केवल कुमार केसरीमल जैन यांनी दाखल केल्ल्या

प्रस्ताव आ. क्र. ५४९९ दि. ११/०२/२०२२.

संदर्भांकित प्रकल्पास प्यावरण ना हरकत प्रमाणपत्र मिळणेसाठी पाणीपुरवठा विभागाचे ना हरकत दाखल्याची मागणी आपण केली आहे. विषयांकित मिळकतीची जागा व प्रस्तावाची स्कुटीनी केली असता एकुण प्लॉट चे क्षेत्र ८६००.०० स्के.मी.. आहे. व प्रतिदिन अंदाजे ५३८.०० घन मी. प्रतिदिन पाण्याची मागणी आहे. त्या अनुषंगाने खालील १ ते १५ अटींचे अधीन राहून पाणीपुरवठा विभागाचे ना हरकत दाखला देण्यात आहे.

- १) विषयांकित मिळकतीवरील प्रकल्पास भोगवटा पत्र प्राप्त झाल्यानंतर भोगवटा असणाऱ्या गाळ्यांचे प्रमाणात पाणीपुरवठा करणेकरिता नळजोड प्रस्ताव सादर करणार.
- २) विकसक स्वखर्चाचे मनपाचे सुचवेनुसार जलवाहिनी विकसीत करणार.
- ३) एस. टी. पी. बाबत स्वतंत्र माहिती घाल्यास सादर करणार व त्याबारे पुर्नवापर होणाऱ्या पाण्याबाबतचा सविस्तर तपशिल देणार .
- ४) जागेवर बांधकाम चालू करणेपुर्वी मिळकतीमधील मनपाच्या नळजोडावरील धकाकी भस्न सदर नळजोड बंद करणार
- ५) इमारतीचे पिण्याचे पाणी, वापराचे पाणी व फ्लशिंगचे पाणी व निवासी, विपार निवासी इत्यादी कारणासाठी स्वतंत्र पाण्याच्या टाक्यांची व्यवस्था करणार.
- ६) इमारती अंतर्गत पाणी वितरणासाठी प्रत्येक सदनिकेकरिता स्वतंत्र व एकच नळजोड देण्यात येवून त्यावर प्रत्येक सदनिकेसाठी स्वतंत्र मीटर बसविण्यात यावा. त्याचे सोसायटी अंतर्गत बिलिंगसाठी योग्य ती प्रणाली तयार करून संबंधित सोसायटी, प्रत्येक सदनिकेकरिता देणार.
- ७) सदर प्रकल्पाकरिता पाण्याचे उपलब्धतेनुसार होणारा पाणीपुरवठा वागळता जादा पाण्याची व्यवस्था विकसक स्वतः करणार
- ८) अंतर्गत वापरण्यात येणाऱ्या फिटिंग्ज् डिसार्ब ५ लिटर प्रति मिनटापेक्षा कमी ठेवणार
- ९) सर्व कामे सक्षम कन्सल्टंट यांचेकडून डिझाईन करून त्यांचे सुपरव्हिजन अंतर्गत पूर्ण करणार
- १०) निवासी व हॉस्पिटल, शैक्षणिक व इतर इमारतीच्या पाणी वापरासाठी स्वतंत्र पाण्याची टाकी बांधणार.
- ११) तत्कालीन पाण्याच्या परीस्थितीनुसार मनपाकडील नियमानुसार व धोरणानुसार यापुढील कार्यवाही तत्कालीन वेळी निश्चित करण्यात येईल.

१२) प्रस्तुत मिळकतीचा लेआऊट म.न.पा. सँक्शन झाल्यानंतर सी.सी.वी. एक प्रत व लेआऊटची एक प्रत घाल्यास सादर करावी लागेल. मीटर विभागाचा ना हरकत दाखला मागणेपूर्वी वॉटर लार्ईन डेव्हलपमेंट शुल्क म.न.पा. कोषागारात भरणार किंवा वॉटर लार्ईन डेव्हलपमेंट करून देणार.

१३) बांधकाम विभागाकडील नियोजित मान्य होणाऱ्या लेआऊटच्या नकाशानुसार नविन नळजोड मागणे पुर्वी करून जलसंवर्धना करिता नियोजित इमारतीमध्ये पर्जन्य जलाचे पुर्नःभरण यंत्रणा बसविणार.

१४) मिळकतीस भोगवटा पत्र प्राप्त झाल्यानंतर व तसा प्रस्ताव घाल्याकडे प्राप्त झाल्यानंतर भोगवटा पत्राच्या सदनिकांच्या प्रमाणात त्या वेळेच्या प्राप्त धोरणानुसार पाणीपुरवठा उपलब्ध केला जाईल.

१५) सदर प्रकरणी पाणीपुरवठा सुरु न झाल्यास किंवा अपुऱ्या पाणीपुरवठ्याबाबत विकसक यांनी घाल्याकडे सादर केलेल्या दि- ०२/०२/२०२२ च्या नोटायझ हम मे. कुमार केरींग डेव्हलपर्स एल.एल.पी तर्फे भागीदार श्री. केवल कुमार केसरीमल जैन संबंधित विकसक यांचेवर बंधनकारक राहील.

कळवि-

अमोल पुडे

शाखा अभियंता

स्वराज्य पाणीपुरवठा विभाग
पुणे महानगरपालिका

प्रशांत कुंभार

उप अभियंता

स्वराज्य पाणीपुरवठा विभाग
पुणे महानगरपालिका

अशित जाधव

कार्याकारी अभियंता क्र.१

स्वराज्य पाणीपुरवठा विभाग
पुणे महानगरपालिका

Report No: GCI/V/Lab/EM-SP/22-23/May-00/0885

Date: 11/05/2022

ANALYSIS REPORT

Client details		Sample Details	
Name	Palmspring by Kumar Kering Developers LLP.	Sample Code	GCI/V/22/E11/AA1
Address	S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Taluka Haveli, Dist: Pune, Maharashtra	Location	NEAR SECURITY GATE
		Date of Sampling	05/05/2022
Sampling Done By	Mr.Mukesh	Date of Sample Received	06/05/2022
Analysis Starts On	06/05/2022	Sampling Instrument	RDS, FPS
Analysis Completion On	10/05/2022	Sampling Method	IS 5182 : Part 5 : 1975

AMBIENT AIR ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS) amended 2009	Reference Method
1	Particulate Matter (PM ₁₀)	µg/m ³	64.5	100	IS 5182 : Part 23 : 2006
2	Particulate Matter (PM _{2.5})	µg/m ³	41.3	60	NAAQS Guidelines
3	Sulphur dioxide (SO ₂)	µg/m ³	24.5	80	IS 5182 : Part 2 : 2001
4	Oxides of Nitrogen (NO _x)	µg/m ³	20.5	80	IS 5182 : Part 6 : 2006
5	Carbon Monoxide CO	mg/m ³	0.18	2.0	IS 5182 : Part 10 : 1999
6	Ozone as O ₃	µg/m ³	14.5	100	NAAQS Guidelines
7	Lead as Pb	µg/m ³	BDL (<0.1)	1.0	NAAQS Guidelines
8	Nickel as Ni	ng/m ³	BDL (<1)	20	NAAQS Guidelines
9	Arsenic as As	ng/m ³	BDL (<1)	6.0	NAAQS Guidelines
10	Ammonia as NH ₃	µg/m ³	3.8	400	NAAQS Guidelines
11	Benzene , C ₆ H ₆	µg/m ³	BDL (<0.01)	5.0	IS 5182 (Part 11):2006
12	Benzo (a) Pyrene	ng/m ³	BDL (<0.1)	1.0	Gas Chromatography



Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

CORP. OFFICE & R & D : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com

NEW DELHI **GOA** **PUNE** **BENGALURU** **U.K.** **HYDERABAD** **KOLKATA** **DHARWAD** **MUMBAI** **PORT BLAIR**
ALUSTRALIA **OMAN** **KUWAIT** **AFRICA** **VIETNAM** **BANGLADESH** **MYANMAR** **SRI LANKA** **UAE**



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(F. No. - 15018 / 06 / 2016 - CPW)
(ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

Report No: GCI/V/Lab/EM-SP/22-23/May-00/0885

Date: 11/05/2022

ANALYSIS REPORT

Client details		Sample Details	
Name	Palmspring by Kumar Kering Developers LLP.	Sample Code	GCI/V/22/E11/AA2
Address	S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Taluka Haveli, Dist: Pune, Maharashtra	Location	SOUTHWEST CORNER OF SITE
		Date of Sampling	05/05/2022
Sampling Done By	Mr.Mukesh	Date of Sample Received	06/05/2022
Analysis Starts On	06/05/2022	Sampling Instrument	RDS, FPS
Analysis Completion On	10/05/2022	Sampling Method	IS 5182 : Part 5 : 1975

AMBIENT AIR ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS) amended 2009	Reference Method
1	Particulate Matter (PM ₁₀)	µg/m ³	66.8	100	IS 5182 : Part 23 : 2006
2	Particulate Matter (PM _{2.5})	µg/m ³	41.5	60	NAAQS Guidelines
3	Sulphur dioxide (SO ₂)	µg/m ³	26.8	80	IS 5182 : Part 2 : 2001
4	Oxides of Nitrogen (NO _x)	µg/m ³	19.5	80	IS 5182 : Part 6 : 2006
5	Carbon Monoxide CO	mg/m ³	0.19	2.0	IS 5182 : Part 10 : 1999
6	Ozone as O ₃	µg/m ³	15.8	100	NAAQS Guidelines
7	Lead as Pb	µg/m ³	BDL (<0.1)	1.0	NAAQS Guidelines
8	Nickel as Ni	ng/m ³	BDL (<1)	20	NAAQS Guidelines
9	Arsenic as As	ng/m ³	BDL (<1)	6.0	NAAQS Guidelines
10	Ammonia as NH ₃	µg/m ³	2.9	400	NAAQS Guidelines
11	Benzene , C ₆ H ₆	µg/m ³	BDL (<0.01)	5.0	IS 5182 (Part 11):2006
12	Benzo (a) Pyrene	ng/m ³	BDL (<0.1)	1.0	Gas Chromatography



Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

CORP. OFFICE & R & D : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com

NEW DELHI **GOA** **PUNE** **BENGALURU** **U.K.** **HYDERABAD** **KOLKATA** **DHARWAD** **MUMBAI** **PORT BLAIR**
ALSO AT :
OVERSEAS : **AUSTRALIA** **OMAN** **KUWAIT** **AFRICA** **VIETNAM** **BANGLADESH** **MYANMAR** **SRI LANKA** **UAE**



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(F. No. - 15018 / 06 / 2016 - CPW)
(ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

Report No: GCI/V/Lab/EM-SP/22-23/May-00/0885

Date: 11/05/2022

ANALYSIS REPORT

Client details		Sample Details	
Name	Palmspring by Kumar Kering Developers LLP.	Sample Code	GCI/V/22/E11/AA3
Address	S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Taluka Haveli, Dist: Pune, Maharashtra	Location	NORTHEAST CORNER OF SITE
		Date of Sampling	05/05/2022
Sampling Done By	Mr.Mukesh	Date of Sample Received	06/05/2022
Analysis Starts On	06/05/2022	Sampling Instrument	RDS, FPS
Analysis Completion On	10/05/2022	Sampling Method	IS 5182 : Part 5 : 1975

AMBIENT AIR ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS) amended 2009	Reference Method
1.	Particulate Matter (PM ₁₀)	µg/m ³	85.2	100	IS 5182 : Part 23 : 2006
2.	Particulate Matter (PM _{2.5})	µg/m ³	52.1	60	NAAQS Guidelines
3.	Sulphur dioxide (SO ₂)	µg/m ³	29.5	80	IS 5182 : Part 2 : 2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	15.1	80	IS 5182 : Part 6 : 2006
5.	Carbon Monoxide CO	mg/m ³	0.18	2.0	IS 5182 : Part 10 : 1999
6.	Ozone as O ₃	µg/m ³	18.5	100	NAAQS Guidelines
7.	Lead as Pb	µg/m ³	BDL (<0.1)	1.0	NAAQS Guidelines
8.	Nickel as Ni	ng/m ³	BDL (<1)	20	NAAQS Guidelines
9.	Arsenic as As	ng/m ³	BDL (<1)	6.0	NAAQS Guidelines
10.	Ammonia as NH ₃	µg/m ³	3.8	400	NAAQS Guidelines
11.	Benzene , C ₆ H ₆	µg/m ³	BDL (<0.01)	5.0	IS 5182 (Part 11):2006
12.	Benzo (a) Pyrene	ng/m ³	BDL (<0.1)	1.0	Gas Chromatography



Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com

NEW DELHI GOA PUNE BENGALURU U.K. : ALSO AT : HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR
AUSTRALIA OMAN KUWAIT AFRICA : OVERSEAS : VIETNAM BANGLADESH MYANMAR SRI LANKA UAE



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(F. No. - 15018 / 06 / 2016 - CPW)
(ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

Report No: GCI/V/Lab/EM-SP/22-23/May-00/0885

Date: 11/05/2022

ANALYSIS REPORT

Client Details		Sample Details	
Name	Palmspring by Kumar Kering Developers LLP.	Sample Code	GCI/V/22/E11/N-N3
Address	S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Taluka Haveli, Dist: Pune, Maharashtra	Location	As per table
		Quantity	NA
		Date of Measurement	05/05/2022
		Sampling Instrument	Sound Level Meter (HTC/SL-1352)
Measurement Done By	Mr.Mukesh	Sampling Method	HTC/SL-1352 Inst. Manual

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time		Night Time	
			Results	MPCB Permissible Limit	Results	MPCB Permissible Limit
1.	Near Security Gate	dB (A)	42.8	55	42.6	45
2.	Southwest Corner of the Site	dB (A)	56.5	55	40.7	45
3.	Northeast Corner of the Site	dB (A)	50.1	55	38.5	45

Limits: Maharashtra pollution Control Board has prescribed 55 dB (A) as an upper limit of noise level during day time and 45 dB (A) during night time for residential area.



Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

CORP. OFFICE & R & D : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com

NEW DELHI **GOA** **PUNE** **BENGALURU** **U.K.** **ALSO AT :** **HYDERABAD** **KOLKATA** **DHARWAD** **MUMBAI** **PORT BLAIR**
OVERSEAS : **AUSTRALIA** **OMAN** **KUWAIT** **AFRICA** **VIETNAM** **BANGLADESH** **MYANMAR** **SRI LANKA** **UAE**



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(F. No. - 15018 / 06 / 2016 - CPW)
(ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

Report No: GCI/V/Lab/EM-SP/22-23/May-00/0885

Date: 11/05/2022

ANALYSIS REPORT

Client Details		Sample Details	
Name	Palmspring by Kumar Kering Developers LLP.	Sample Code	GCI/V/22/E11/S1
Address	S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Taluka Haveli, Dist: Pune, Maharashtra	Location	SOIL – Project site
		Quantity	2.0 kg
Sampling Done By	Mr.Mukesh	Date of Sampling	05/05/2022
Analysis Starts on	06/05/2022		
Analysis Completion On	10/05/2022	Sample Received Date	06/05/2022

SOIL ANALYSIS RESULTS

Sr. No.	Parameter	Unit	Results	Test Procedure
1	pH (1:5 Soil Suspension)	-	6.9	IS 2720 (Part 26):1987
2	Electrical Conductivity (1:5 Soil Suspension)	mS/cm	0.50	EPA Method 9045
3	Total Nitrogen as N	mg/kg	54.2	Kjeldahl Method
4	Phosphate as P	mg/kg	75.5	Olsen Method
5	Potassium as K	mg/kg	220	EPA 3050 B
6	Exchangeable Calcium as Ca	meq/100g	19.8	EPA 3050 B
7	Exchangeable Magnesium as Mg	meq/100g	8.0	EPA3050 B
8	Exchangeable Sodium as Na	meq/100g	0.75	EPA3050 B
9	Organic Matter	%	1.2	Walkey and Black Method
10	Texture	-	Sandy Clay	Robinson Pipette Method

BDL =Below Detectable Limit

DL =Detectable Limit



Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com

NEW DELHI GOA PUNE BENGALURU U.K. : ALSO AT : HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR
AUSTRALIA OMAN KUWAIT AFRICA : OVERSEAS : VIETNAM BANGLADESH MYANMAR SRI LANKA UAE



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(F. No. - 15018 / 06 / 2016 - CPW)
(ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

Report No: GCI/V/Lab/EM-SP/22-23/May-00/0885

Date: 11/05/2022

ANALYSIS REPORT

Client Details		Sample Details	
Name	Palmspring by Kumar Kering Developers LLP	Sample Code	GCI/V/22/E11/DW1
Address	S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Taluka Haveli, Dist: Pune, Maharashtra	Location	Municipal Water at Project Site
		Quantity	2000 ml
Sampling Done By	Mr.Mukesh	Date of Sampling	05/05/2022
Analysis Starts on	06/05/2022	Sampling Method	APHA 1060
Analysis Completion On	10/05/2022	Sample Received Date	06/05/2022

DRINKING WATER ANALYSIS RESULTS

Sr. No.	Parameter	Unit	Results	Permissible Limit as per IS 10500-2012	Reference Method
1	Colour	Hazen	Nil	5	APHA 22nd EDITION
2	Odour	-	No Odour	Unobjectionable	APHA 22nd EDITION
3	Taste	-	Agreeable	Agreeable	APHA 22nd EDITION
4	Turbidity	NTU	BDL (<0.5)	1	IS : 3025 Part 10-1984 (Reaff: 2002)
5	pH at 25 °C	-	7.0	6.5-8.5	IS : 3025 Part 11- 1983 (Reaff:2002)
6	Total Dissolved Solids	mg/l	260	500	IS : 3025 Part 16-1984 (Reaff:2003)
7	Total Alkalinity as CaCO ₃	mg/l	135	200	IS : 3025 Part 23- 986(Reaff:2003)
8	Total Hardness as CaCO ₃	mg/l	89	200	IS : 3025 Part 21-2009
9	Calcium as Ca	mg/l	60	75	IS : 3025 Part 40-1991 (Reaff:2003)
10	Magnesium as Mg	mg/l	25	30	APHA 22nd EDITION-3500 Mg-B
11	Chloride as Cl ⁻	mg/l	88	250	IS : 3025 Part 32-1988 (Reaff:2003)
12	Sulphate as SO ₄	mg/l	78	200	APHA 22nd EDN-4500- SO ₄ ²⁻ E
13	Nitrate as NO ₃	mg/l	29	45	APHA 22nd EDN -4500- NO ₃ ⁻ B
14	Iron as Fe	mg/l	0.21	0.30	IS : 3025 Part 53-2003
15	Manganese as Mn	mg/l	BDL (<0.02)	0.10	APHA 22nd EDN -3500-Mn D
16	Fluoride as F	mg/l	0.51	1.00	APHA 22nd EDN -4500-F B&D
17	Lead as Pb	mg/l	BDL (<0.03)	0.05	IS:3025 Part 47 (Reaff:2003)
18	Copper as Cu	mg/l	BDL (<0.03)	0.05	IS:3025 Part 42 (Reaff:2003)
19	Zinc as Zn	mg/l	0.90	5.00	IS:3025 Part:49 (Reaff:2003)
20	Hexavalent Chromium as Cr ⁶⁺	mg/l	BDL (<0.03)	0.05	IS:3025 Part:37 (Reaff:2003)
21	Residual Free Chlorine as Cl ₂	mg/l	BDL (<0.10)	0.20	APHA 22nd EDN -4500-Cl B
22	Cadmium as Cd	mg/l	BDL (<0.03)	0.003	IS:3025 Part 48(Reaff:2003)
23	Aluminium	mg/l	BDL (<0.03)	0.03	IS:3025 Part:55 (Reaff:2003)

BDL =Below Detectable Limit



Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com

NEW DELHI GOA PUNE BENGALURU U.K. : ALSO AT : HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR
AUSTRALIA OMAN KUWAIT AFRICA : OVERSEAS : VIETNAM BANGLADESH MYANMAR SRI LANKA UAE



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(F. No. - 15018 / 06 / 2016 - CPW)
(ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

Report No: GCI/V/Lab/EM-SP/22-23/May-00/0885

Date: 11/05/2022

ANALYSIS REPORT

Client Details		Sample Details	
Name	Palmspring by Kumar Kering Developers LLP.	Sample Code	GCI/V/22/E11/M1
Address	S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Taluka Haveli, Dist: Pune, Maharashtra	Location	Manure from OWC
		Quantity	2.0 kg
Sampling Done By	Mr.Mukesh	Date of Sampling	05/05/2022
Analysis Starts on	06/05/2022		
Analysis Completion On	10/05/2022	Sample Received Date	06/05/2022

MANURE ANALYSIS RESULTS

Sr. No.	Parameter	Unit	Results	Limits as per FCO	Test Procedure
1	pH	-	7.5	6.5-7.5	IS 2720 (Part 26):1987
2	Moisture		17.5	<25	
3	Odour		Absence of Foul Smell	Absence of Foul smell	
4	Colour		Blackish Brown	Dark brown to Black	
5	Bulk Density		0.40	<1.0	
6	Total Organic Carbon		18.5	>14.0	
7	Total Nitrogen as N	mg/kg	1.3	>0.8	Kjeldahl Method
8	Phosphate as P	mg/kg	0.9	>0.4	Olsen Method
9	Potassium as K	mg/kg	0.8	>0.4	EPA 3050 B
10	C:N ratio		14.2	<20:1	
11	Particle Size		82 % pass through 4mm Sieve	Min 90% material pass through 4mm IS sieve	



Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com

NEW DELHI GOA PUNE BENGALURU U.K. : ALSO AT : HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR
AUSTRALIA OMAN KUWAIT AFRICA : OVERSEAS : VIETNAM BANGLADESH MYANMAR SRI LANKA UAE

Kumar Kering Developers LLP

Kumar Capital, 1st Floor, 2413, East Street, Camp, Pune-411001

Tel :- 67641600,26350660,30528888 Fax :- 91-20-26353365

PAN No. - AAQFK3365A, GSTIN/UIN - 27AAQFK3365A1ZC

PROJECT : Palmsprings Tower Development

Suppliers : Ash Concepts

Client : Kumar Kering Developers LLP

Address : Gat No.754,Gade Vasti,Near Vijay Ware House, At post Wagholi,Taluka: Haveli, District: Pune - 412207.

Address : 1st Floor, Kumar Capital,
2413,
East Street, Camp,
Pune - 411001.

PURCHASE ORDER

Mobile : Nileshe-9422324554

Indent No : 1072431

PAN No : ABQPP4333A

Purchase Order No : 2080619

Indent Date : 23/12/2021

Prov. GST No : 27ABQPP4333A1ZQ

Purchase Order Date : 08/01/2022

KIND ATTN :

GST No : 27ABQPP4333A1ZQ

Prepared By : Balkrishna Khodade

Delivery Address : "Palmspring Tower - Development"
S.No.12/13, Near Orchard Palace,
Undri, Pune.
Contact:- Dhananjay Pawar 8411957176

Please supply the under mentioned goods in accordance with the terms over leaf.

Req. No. 21460 dated 23.12.2021 Indent No. 1072431_Jai Bhawani Const. for OWC BBM Work

NO	Item Code	Description	Unit	Quantity	Price	Amount	CGST %	SGST %	HSN Code
1	05-040-02-004	6" Fly Ash Bricks FOR OWC BBM WORK	m3	18.109	3296.30	59692.70	2.50	2.50	6815
Basic						59692.70			
CGST						1492.32			
SGST						1492.32			
Total Order Value						62677.33			

Tax Code	Net Amount	% Taxes	Amount Taxes
CGST	59692.70	2.500	1492.32
SGST	59692.70	2.500	1492.32

Amount (in words) Rupees :- Sixty Two Thousand Six Hundred Seventy Seven Rupees And Thirty Three Paise Only

Terms and Conditions :-



भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	Kumar Palmspring By Kumar Kering Developers Llp		
Project Address:	12/1/4,12/12/3,12/1/2,12/1/3,12/2,12/3a,,12/3b,12/4,12/5a/1,12/5b,12/6/1,12/7,12/8,12/12/1,13/1/2/1, Village - Undri, Tal- Haveli, Dist- Pune		
Village:	Undri	Block:	Haveli
District:	Pune	State:	Maharashtra
Pin Code:			
Communication Address:	12/1/4,12/12/3,12/1/2,12/1/3,12/2,12/3a,,12/3b,12/4,12/5a/1,12/5b,12/6/1,12/7,12/8,12/12/1,13/1/2/1, Village- Undri, Tal- Haveli, Dist- Pune, Haveli, Pune, Maharashtra - 411060		
Address of CGWB Regional Office :	Central Ground Water Board Central Region, N.s. Building, Civil Lines, Nagpur, Maharashtra - 440001		

1.	NOC No.:	CGWA/NOC/INF/ORIG/2021/12822													
2.	Application No.:	21-4/6836/MH/INF/2021					3.	Category: (GWRE 2017)			Safe				
4.	Project Status:	New Project					5.	NOC Type:			New				
6.	Valid from:	09/09/2021					7.	Valid up to:			08/09/2026				
8.	Ground Water Abstraction Permitted:														
Fresh Water			Saline Water				Dewatering			Total					
m³/day		m³/year		m³/day		m³/year		m³/day		m³/year		m³/day		m³/year	
20.00		7300.00													
9.	Details of ground water abstraction /Dewatering structures														
Total Existing No.:0							Total Proposed No.:2								
		DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu		
Abstraction Structure*		0	0	0	0	0	0	2	0	0	0	0	0		
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit;MPu-Mine Pumps															
10.	Ground Water Abstraction/Restoration Charges paid (Rs.):							36500.00							
11.	Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.					No. of Piezometers		Monitoring Mechanism							
								Manual	DWLR**	DWLR With Telemetry					
**DWLR - Digital Water Level Recorder						1		1	0	0					

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m³/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions:

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m³/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)



kumar properties <kumarworldcompliance2025@gmail.com>

Six Monthly Compliance Report for period Oct. 2021 to March 2022 for project - Kumar Kering Developers LLP

kumar properties <kumarworldcompliance2025@gmail.com>

Wed, Jun 1, 2022 at 6:19 PM

To: ecompliance-mh@gov.in

Bcc: moef1@kumarworld.com

 **POEC report-Palmspring_Oct 2021 to March 2022.pdf**

Dear Sir/Madam,

Please find the Post EC Compliance Report attached herewith for Period Oct. 2021 to March 2022 of Residential project proposed on plot bearing Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune Maharashtra by Kumar Kering Developers LLP, with reference to Environmental Clearance Letter No. SEAC-2010/CR 776/TC-2 dated 25th July 2013 and subsequent EC having dated 16th October, 2017.

Hope this is in line with your requirement.

Thanking you

Yours Sincere

Kumar Kering Developers LLP



KUMAR KERING DEVELOPERS LLP

Kumar Capital, 2413, East Street, Camp, Pune - 411 001. Ph. No. : 020 30528888, 30583635 Fax : 020 26353365
Website : www.kumarworld.com Email ID : contact@kumarworld.com LLP IN : AAG-0951

To
Chairman, SEIAA
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032

Date: 30/05/2022

Sub: Post EC Compliance Report for Period of October 2021 to March 2022 of Residential & Commercial Project at S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra being developed by Kumar Kering Developers LLP

Ref.: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013 and subsequent EC dated 16th October, 2017.

Dear Sir/Madam,

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential & Commercial Project for period of October 2021 to March 2022.

Hope this is in line with your requirement.

Thanking you,

For Kumar Kering Developers LLP

CC: 1. MPCB -Member Secretary, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Sion, Mumbai, Maharashtra 400022.

Ray
13/06/22

महाराष्ट्र प्रदूषण नियंत्रण मंडळ
कलपतारु पॉइंट, ३ रा मजला, सायन सर्कल,
सिनेप्लेनट समोर, सायन (पूर्व),
मुंबई - ४०० ०२२.

फोन :- २४०१९४३७ / २४०२०७८१
Website www.mpcb.gov.in



KUMAR KERING DEVELOPERS LLP

Kumar Capital, 2413, East Street, Camp, Pune - 411 001 Ph. No. : 020 30528888, 30583635 Fax : 020 26353366
Website : www.kumarworld.com Email ID : contact@kumarworld.com LLPIN : AAG-0951

Date: 30/05/2022

To
Chairman, SEIAA
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032

Sub: Post EC Compliance Report for Period of October 2021 to March 2022 of Residential & Commercial Project at S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra being developed by Kumar Kering Developers LLP

Ref.: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013 and subsequent EC dated 16th October, 2017.

Dear Sir/Madam,

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential & Commercial Project for period of October 2021 to March 2022.

Hope this is in line with your requirement.

Thanking you,

For Kumar Kering Developers LLP

CC: 1. MPCB -Member Secretary, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Sion, Mumbai, Maharashtra 400022.

13-6-22
आवक लिपिक (नो.शा.)
पर्यावरण व वातावरण बदल विभाग
मंत्रालय, मुंबई ४०० ०३२



kumar properties <kumarworldcompliance2025@gmail.com>

Six Monthly Compliance Report for period April 2021 to September 2021 for project -Kumar Kering Properties Pvt Ltd

kumar properties <kumarworldcompliance2025@gmail.com>

Fri, Dec 31, 2021 at 6:35 PM

To: ecompliance-mh@gov.in

Bcc: moef1@kumarworld.com

 **POEC report_Palm Spring_April 2021 to September...**

Dear Sir/Madam,

Please find the Post EC Compliance Report attached herewith for Period April 2021 to September 2021 of Residential project proposed on plot bearing Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune Maharashtra by Kumar Kering Properties Pvt Ltd .,with reference to Environmental Clearance Letter No. SEAC-2010/CR 776/TC-2 dated 25th July 2013 and subsequent EC having dated 16th October, 2017.

Hope this is in line with your requirement.

Thanking you

Yours Sincere

Kumar Kering Properties Pvt Ltd



KUMAR KERING DEVELOPERS LLP

Kumar Capital, 2413, East Street, Camp, Pune - 411 001. Ph. No. : 020 30528888, 30583635 Fax : 020 26353365
Website : www.kumarworld.com Email ID : contact@kumarworld.com LLPIN : AAG-0951

Date: 27/12/2021

To
Chairman, SEIAA
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032

Sub: Post EC Compliance Report for Period of April 2021 to September 2021 of Residential Group Housing Project at S.No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra being developed by Kumar Kering Developers LLP

Ref.: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013 and subsequent EC dated 16th October, 2017.

Dear Sir/Madam

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential Group Housing Project for period of April 2021 to September 2021.

Hope this is in line with your requirement.

Thanking you

SAMIR
SHAMKANT
PATIL

Digitally signed by
SAMIR SHAMKANT PATIL
Date: 2022.01.01
11:45:36 +05'30'

Fro, Kumar Kering Developers LLP

Handwritten signature
4-1-22
आवक लिपीक
पर्यावरण विभाग
मन्त्रालय, मुंबई

CC: 1.MPCB -Member Secretary,Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet,Sion Circle, Sion, Mumbai, Maharashtra 400022.



KUMAR KERING DEVELOPERS LLP

Kumar Capital, 2413, East Street, Camp, Pune - 411 001, Ph. No. : 020 30528888, 30533636 Fax: 020 30528888
Website : www.kumarworld.com Email ID : contact@kumarworld.com / LLP IN : AA6016001

To
Chairman, SEIAA
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032

Date: 27/12/2021

Sub: Post EC Compliance Report for Period of April 2021 to September 2021 of Residential Group Housing Project at S.No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra being developed by Kumar Kering Developers LLP

Ref.: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013 and subsequent EC dated 16th October, 2017.

Dear Sir/Madam

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential Group Housing Project for period of April 2021 to September 2021.

Hope this is in line with your requirement.

Thanking you

SAMIR
SHAMKANT
PATIL

Digitally signed by
SAMIR SHAMKANT PATIL
Date: 2022.01.01
11:45:36 +05'30'

Fro, Kumar Kering Developers LLP


महाराष्ट्र प्रदूषण नियंत्रण मंडळ
कल्पतारु पॉइंट, २ रा मजला, सावन सर्कल,
मिनेरॉलॉजिकल रोड, सावन (पूर्व),
मुंबई - ४०० ०२२.
फोन :- २४०१०४३७ / २४०२०७८९
Website www.mpcb.gov.in

CC: 1.MPCB -Member Secretary,Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet,Sion Circle, Sion, Mumbai, Maharashtra 400022.



Congratulation

Document uploaded successfully

MPCB Documents

Sr No.	Document Name	Document Category	Date	Action
1	Visit Report	Visit Report	26-04-2019	Download Message

Uploaded documents

Sr No.	Document Category	Document Name	Date	Action
1	Land Ownership Certificate	7.12 Extract- Part 1	12-03-2019	Download
2	Other	Palmspring Ack. Letter for Return of Bank Guarantee	12-03-2019	Download
3	Other	Affidavit	27-01-2021	Download
4	Other	Part II-Six Monthly Compliance report - Palmspring- October 2020 to March 2021	17-06-2021	Download
5	Other	Six Monthly Compliance Report-Palmspring April to Sept 2020	01-12-2020	Download
6	Detailed proposal of pollution control system	Details of pollution control system	12-03-2019	Download
7	Other	Bank Guarantee submitted against CFE - 5 lacs	12-03-2019	Download
8	Previous Consent copy	Consent to Establish dated 12.03.2014	12-03-2019	Download
9	Other	Bank Guarantee submitted against CFE - 2 lacs	12-03-2019	Download
10	Other	Six monthly report_Palm Spring_Oct 2019 to March-2020	21-07-2020	Download
11	Other	Palmspring Layout Plan	12-03-2019	Download
12	Other	Acknowledgement copy of Post EC Compliance report submission	12-03-2019	Download
13	Manufacturing Process	Manufacturing process	12-03-2019	Download
14	Other	PMRDA Clearance Letter	12-03-2019	Download
15	Other	Palmspring Layout Plan	12-03-2019	Download
16	Other	Six monthly Compliance report-Palmspring-April to sep-2019	22-01-2020	Download
17	CA Certificate Balance Sheet Capital Investment	CA Certificate	12-03-2019	Download

18	Other	Architect Certificate	12-03-2019	Download
19	Industry Registration	Company Incorporation Certificate	12-03-2019	Download
20	Land Ownership Certificate	7.12 Extract- Part 2	12-03-2019	Download
21	Other	Part I-Six Monthly Compliance report - Palmspring- October 2020 to March 2021	17-06-2021	Download

My Documents

Note: For infrastructure projects submit architecture area statement additionally.

Note: If project attracts EIA notifications submit environmental clearance copy and for infrastructure project environmental clearance & architect completion certificate.

Upload New

Note: Document must be in pdf format and size must be less than 2MB

Document Type *

Select Type of document ▼

Document Name *

Choose File

No file chosen



Enter the code above here :

[Upload](#) [Back](#)



KUMAR KERING DEVELOPERS LLP

Kumar Capital, 2413, East Street, Camp, Pune - 411 001. Ph. No. : 020 30528858 30583035 Fax : 020 20353100
Website : www.kumarworld.com Email ID : contact@kumarworld.com LLPIN : AAGP951

Date: 31/08/2021

To
Chairman, SEIAA
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032

Sub: Post EC Compliance Report for Period of October 2020 to March 2021 of Residential Group Housing Project at S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A & B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra by Kumar Kering Developers LLP (Formerly known as Kumar Kering Properties Pvt Ltd)

Ref.: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013 and subsequent EC dated 16th October, 2017.

Dear Sir/Madam

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential Group Housing Project for period of October 2020 to March 2021.

Hope this is in line with your requirement.

Thanking you

Yours Sincere

SAMIR
SHAMKANT
PATIL

Digitally signed by
SAMIR SHAMKANT
PATIL
Date: 2021.08.31
17:35:46 +05'30'

For, Kumar Kering Developers LLP
(Formerly known as Kumar Kering Properties Pvt Ltd)

महाराष्ट्र प्रदूषण नियंत्रण मंडळ
कल्पतरु पॉइंट, २ रा मजला, सायन सर्कल,
सिनेप्लेनेट समोर, सायन (पूर्व),
मुंबई - ४०० ०३२.
फोन :- २४०१०४३७ / २४०२०७८१
Website www.mpcb.gov.in

CC: 1.MPCB -Member Secretary,Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet,Sion Circle,
Sion, Mumbai, Maharashtra 400022.



KUMAR KERING DEVELOPERS LLP

Kumar Capital, 2413, East Street, Camp, Pune - 411 001 Ph. No. 020 30524898, 30567835 Fax: 020 30524898
Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN: AAG-3851

Date: 31/08/2021

To
Chairman, SEIAA
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032

Sub: Post EC Compliance Report for Period of October 2020 to March 2021 of Residential Group Housing Project at S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A & B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra by Kumar Kering Developers LLP (Formerly known as Kumar Kering Properties Pvt Ltd)

Ref.: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013 and subsequent EC dated 16th October, 2017.

Dear Sir/Madam

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential Group Housing Project for period of October 2020 to March 2021.

Hope this is in line with your requirement.

Thanking you

Yours Sincere

SAMIR
SHAMKANT
PATIL
Digitally signed by
SAMIR SHAMKANT
PATIL
Date: 2021.08.31
17:35:46 +05'30'

For, Kumar Kering Developers LLP
(Formerly known as Kumar Kering Properties Pvt Ltd)

Mawa-
719121
आवक निर्माणक (नॉ.शा.)
पर्यावरण व वातावरणांय बदल विभाग
मंत्रालय, मुंबई ४०० ०३२

CC: 1.MPCB -Member Secretary,Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle,
Sion, Mumbai, Maharashtra 400022.



kumar properties <kumarworldcompliance2025@gmail.com>

Six Monthly Compliance Report for period October 2020 to March 2021 for project - Kumar Kering Properties Pvt Ltd

1 message

kumar properties <kumarworldcompliance2025@gmail.com>

Wed, Jun 16, 2021 at 4:18 PM

To: eccompliance-mh@gov.in

Bcc: moef1@kumarworld.com

Dear Sir/Madam,

Please find the Post EC Compliance Report attached herewith for Period October 2020 to March 2021 of Residential project proposed on plot bearing Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune Maharashtra by Kumar Kering Properties Pvt Ltd .,with reference to Environmental Clearance Letter No. SEAC-2010/CR 776/TC-2 dated 25th July 2013 and subsequent EC having dated 16th October, 2017.

Hope this is in line with your requirement.

Thanking you

 **POEC report_Palm Spring_Oct-2020 to March 2021.pdf**

Yours Sincere

Kumar Kering Properties Pvt Ltd

**Congratulation**

Document uploaded successfully

MPCB Documents

Sr No.	Document Name	Document Category	Date	Action
1	Visit Report	Visit Report	26-04-2019	Download Message

Uploaded documents

Sr No.	Document Category	Document Name	Date	Action
1	Industry Registration	Company Incorporation Certificate	12-03-2019	Download Message Delete
2	Land Ownership Certificate	7.12 Extract- Part 2	12-03-2019	Download Message Delete
3	Land Ownership Certificate	7.12 Extract- Part 1	12-03-2019	Download Message Delete
4	Other	Palmspring Ack. Letter for Return of Bank Guarantee	12-03-2019	Download Message Delete
5	Detailed proposal of pollution control system	Details of pollution control system	12-03-2019	Download Message Delete
6	Other	Bank Guarantee submitted against CFE - 5 lacs	12-03-2019	Download Message Delete
7	Other	Six monthly report_Palm Spring_Oct 2019 to March-2020	21-07-2020	Download Message Delete
8	Previous Consent copy	Consent to Establish dated 12.03.2014	12-03-2019	Download Message Delete
9	Other	Bank Guarantee submitted against CFE - 2 lacs	12-03-2019	Download Message Delete
10	CA Certificate Balance Sheet Capital Investment	CA Certificate	12-03-2019	Download Message Delete
11	Other	Architect Certificate	12-03-2019	Download Message Delete
12	Other	Palmspring Layout Plan	12-03-2019	Download Message Delete
13	Other	Acknowledgement copy of Post EC Compliance report submission	12-03-2019	Download Message Delete
14	Other	Six monthly Compliance report-Palmspring-April to sep-2019	22-01-2020	Download Message Delete
15	Other	Palmspring Layout Plan	12-03-2019	Download Message Delete
16	Manufacturing Process	Manufacturing process	12-03-2019	Download Message Delete
17	Other	PMRDA Clearance Letter	12-03-2019	Download Message Delete

My Documents**Note:** For infrastructure projects submit architecture area statement additionally.**Note:** If project attracts EIA notifications submit environmental clearance copy and for infrastructure project environmental clearance & architect completion certificate.**Upload New****Note:** Document must be in pdf format and size must be less than 2MB

Document Type *

Select Type of document

▼

Document Name *

Choose File

Choose file

No file chosen



Enter the code above here :

Upload [Back](#)



kumar properties <kumarworldcompliance2025@gmail.com>

Six Monthly Compliance Report for period April 2020 to September 2020 for project -Kumar Kering Properties Pvt Ltd

kumar properties <kumarworldcompliance2025@gmail.com>

Tue, Dec 1, 2020 at 5:12 PM

To: eccompliance-mh@gov.in

Bcc: moef1@kumarworld.com

Dear Sir/Madam,

Please find the Post EC Compliance Report attached herewith for Period April 2020 to September 2020 of Residential project proposed on plot bearing Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune Maharashtra by Kumar Kering Properties Pvt Ltd .,with reference to Environmental Clearance Letter No. SEAC-2010/CR 776/TC-2 dated 25th July 2013 and subsequent EC having dated 16th October, 2017.

Hope this is in line with your requirement.

Thanking you

 [POEC report_Palm Spring_april 2020 to Sept-2020...](#)

Yours Sincere

Kumar Kering Properties Pvt Ltd



Congratulation

Document uploaded successfully

MPCB Documents

Sr No.	Document Name	Document Category	Date	Action
1	Visit Report	Visit Report	26-04-2019	Download Message

Uploaded documents

Sr No.	Document Category	Document Name	Date	Action
1	Other	Palmspring Layout Plan	12-03-2019	Download
2	Other	Acknowledgement copy of Post EC Compliance report submission	12-03-2019	Download
3	CA Certificate Balance Sheet Capital Investment	CA Certificate	12-03-2019	Download
4	Other	Architect Certificate	12-03-2019	Download
5	Detailed proposal of pollution control system	Details of pollution control system	12-03-2019	Download
6	Other	Bank Guarantee submitted against CFE - 5 lacs	12-03-2019	Download
7	Previous Consent copy	Consent to Establish dated 12.03.2014	12-03-2019	Download
8	Other	Bank Guarantee submitted against CFE - 2 lacs	12-03-2019	Download
9	Other	Palmspring Layout Plan	12-03-2019	Download
10	Other	Six monthly report_Palm Spring_Oct 2019 to March-2020	21-07-2020	Download
11	Other	Six monthly Compliance report-Palmspring-April to sep-2019	22-01-2020	Download
12	Land Ownership Certificate	7.12 Extract- Part 1	12-03-2019	Download
13	Other	Palmspring Ack. Letter for Return of Bank Guarantee	12-03-2019	Download
14	Manufacturing Process	Manufacturing process	12-03-2019	Download
15	Other	PMRDA Clearance Letter	12-03-2019	Download
16	Industry Registration	Company Incorporation Certificate	12-03-2019	Download
17	Land Ownership Certificate	7.12 Extract- Part 2	12-03-2019	Download
18	Other	Six Monthly Compliance Report-Palmspring April to Sept 2020	01-12-2020	Download

My Documents

Note: For infrastructure projects submit architecture area statement additionally.

Note: If project attracts EIA notifications submit environmental clearance copy and for infrastructure project environmental clearance & architect completion certificate.

Upload New

Note: Document must be in pdf format and size must be less than 2MB

Document Type *

Select Type of document ▼

Document Name *

Choose File

Choose File

No file chosen



Enter the code above here :

Upload [Back](#)



KUMAR KERING DEVELOPERS LLP

Kumar Capital, 2413, East Street, Camp, Pune - 411 001. Ph. No. : 020-30528688, 30583635 Fax : 020-26353365
Website : www.kumarworld.com Email ID : contact@kumarworld.com LLPIN : AACD-0851

Date: 08/12/2020

To
Chairman, SEIAA
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032

Sub: Post EC Compliance Report for Period of April to September 2020 of Residential Group Housing Project At S.No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A & B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra by Kumar Kering Properties Pvt Ltd (Now known as Kumar Kering Developers LLP)

Ref.: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013 and subsequent EC dated 16th October, 2017.

Dear Sir/Madam

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential Group Housing Project for period of April to September 2020.

Hope this is in line with your requirement.

Thanking you,

For, Kumar Kering Properties Pvt. Ltd.
(Now known as Kumar Kering Developers LLP)

15/12/20
महाराष्ट्र प्रदूषण नियंत्रण मंडळ,
लघु उद्योग विभाग, २, ३/४ रा. मंजूर, भासा मंडळ, मुंबई
फोन: २८०९०८३७/२८०२०९८९

CC: LMPCB -Member Secretary, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Sion, Mumbai, Maharashtra 400022.



KUMAR KERING DEVELOPERS LLP

Kumar Capital, 2413, East Street, Camp, Pune - 411 001. Ph. No.: 920 30528588 30553635 Fax: 920 20307365.
Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN: AAG-0651

To
Chairman, SEIAA
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032

Recd
15.12.20
आवागमन विभाग (सि.जे.)
पर्यावरण व वातावरण विभाग
मंत्रालय, मुंबई 400 032

Date: 08/12/2020

Sub: Post EC Compliance Report for Period of April to September 2020 of Residential Group Housing Project At S.No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A & B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra by Kumar Kering Properties Pvt Ltd (Now known as Kumar Kering Developers LLP)

Ref: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013 and subsequent EC dated 16th October, 2017.

Dear Sir/Madam

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential Group Housing Project for period of April to September 2020.

I hope this is in line with your requirement.

Thanking you,

For, Kumar Kering Properties Pvt. Ltd.
(Now known as Kumar Kering Developers LLP)

CC: 1.MPCB -Member Secretary, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Sion, Mumbai, Maharashtra 400022.



kumar properties <kumarworldcompliance2025@gmail.com>

Six Monthly Compliance Report for period October 2019 to March 2020 for project -Kumar Kering Properties Pvt Ltd

kumar properties <kumarworldcompliance2025@gmail.com>

Mon, Jul 20, 2020 at 7:09 PM

To: ecompliance-mh@gov.in

Bcc: moef1@kumarworld.com

Dear Sir/Madam,

Please find the Post EC Compliance Report attached herewith for Period October 2019 to March 2020 of Residential project proposed on plot bearing Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune Maharashtra by Kumar Kering Properties Pvt Ltd .,with reference to Environmental Clearance Letter No. SEAC-2010/CR 776/TC-2 dated 25th July 2013 and subsequent EC having dated 16th October, 2017.

Hope this is in line with your requirement.

Thanking you

Yours Sincere

Kumar Kering Properties Pvt Ltd



POEC report_Palm Spring_Oct 2019 to March-2020.pdf

18677K



kumar properties <kumarworldcompliance2025@gmail.com>

Six Monthly Compliance Report for period April 2019 to September 2019 for project - Kumar Kering Properties Pvt Ltd

1 message

kumar properties <kumarworldcompliance2025@gmail.com>

Fri, Jan 17, 2020 at 3:10 PM

To: eccompliance-mh@gov.in

Bcc: Samir Patil <samir.patil@kumarworld.com>, Sandeep Shinde <sandeep.shinde@kumarworld.com>, Pradnya Raskar <pradnya.raskar@kumarworld.com>, supriya.patil@kumarworld.com, teenu.vyas@kumarworld.com

 **Final POEC report-Palm Spring.pdf**

Dear Sir/Madam,

Please find the Post EC Compliance Report attached herewith for Period April to September 2019 of Residential project proposed on plot bearing Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune Maharashtra by Kumar Kering Properties Pvt Ltd .,with reference to Environmental Clearance Letter No. SEAC-2010/CR 776/TC-2 dated 25th July 2013 and subsequent EC having dated 16th October, 2017

Hope this is in line with your requirement.

Thanking you
Yours Sincere

Kumar Kering Properties Pvt Ltd



Congratulation
Document uploaded successfully

MPCB Documents

Sr No.	Document Name	Document Category	Date	Action
1	Visit Report	Visit Report	26-04-2019	Download Message

Uploaded documents

Sr No.	Document Category	Document Name	Date	Action
1	Industry Registration	Company Incorporation Certificate	12-03-2019	Download Message Delete
2	Land Ownership Certificate	7.12 Extract- Part 2	12-03-2019	Download Message Delete
3	Other	Six monthly Compliance report-Palmspring-April to sep-2019	22-01-2020	Download Message Delete
4	Other	Palmspring Layout Plan	12-03-2019	Download Message Delete
5	Detailed proposal of pollution control system	Details of pollution control system	12-03-2019	Download Message Delete
6	Other	Bank Guarantee submitted against CFE - 5 lacs	12-03-2019	Download Message Delete
7	Previous Consent copy	Consent to Establish dated 12.03.2014	12-03-2019	Download Message Delete
8	Other	Bank Guarantee submitted against CFE - 2 lacs	12-03-2019	Download Message Delete
9	Other	Palmspring Layout Plan	12-03-2019	Download Message Delete
10	Other	Acknowledgement copy of Post EC Compliance report submission	12-03-2019	Download Message Delete
11	CA Certificate Balance Sheet Capital Investment	CA Certificate	12-03-2019	Download Message Delete
12	Other	Architect Certificate	12-03-2019	Download Message Delete
13	Land Ownership Certificate	7.12 Extract- Part 1	12-03-2019	Download Message Delete
14	Other	Palmspring Ack. Letter for Return of Bank Guarantee	12-03-2019	Download Message Delete
15	Manufacturing Process	Manufacturing process	12-03-2019	Download Message Delete
16	Other	PMRDA Clearance Letter	12-03-2019	Download Message Delete

My Documents

Note: For infrastructure projects submit architecture area statement additionally.
Note: If project attracts EIA notifications submit environmental clearance copy and for infrastructure project environmental clearance & architect completion certificate.

Upload New

Note: Document must be in pdf format and size must be less than 2MB

Document Type *

Select Type of document ▼

Document Name *

Choose File

Choose File

No file chosen



Enter the code above here :

Upload [Back](#)



KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001
Phone: 26350660, Fax: 26353363

Date: 03/06/2019

To
Chairman, SEIAA
Environment Department,
15th Floor, New Administrative Building,
Mantralaya, Mumbai-400032

By
3-6-2019
आवक लिपिक
पर्यावरण विभाग
मंत्रालय, मुंबई

Sub: Post EC Compliance Report for Period of January to March 2019 of Residential Group Housing Project At S. no. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A & B. 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra by Kumar Kering Properties Pvt Ltd

Ref.: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013

Dear Sir/Madam

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential Group Housing Project for period of January to March 2019.

Hope this is in line with your requirement.

Thanking you

Yours Sincerely

M/s. Kumar Kering Properties Pvt Ltd



KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001
Phone: 26350660, Fax: 26353365

Date: 03/06/2019

To
Member Secretary
MPCB
Kalpataru Point, 3rd and 4th floor,
Opp. Cine Planet, Sion Circle,
Sion, Mumbai, Maharashtra 400022

Sub: Post EC Compliance Report for Period of January to March 2019 of Residential Group Housing Project At S. no. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A & B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri, Tal: Haveli, Dist: Pune-411001 Maharashtra by Kumar Kering Properties Pvt Ltd

Ref.: Environmental Clearance Letter No. SEAC-2010/CR-776/TC-2 dated 25th July, 2013

Dear Sir/Madam

As per the condition laid down in the Environmental Clearance Letter, we are submitting herewith post EC compliance report of our Residential Group Housing Project for period of January to March 2019.

Hope this is in line with your requirement.

Thanking you

Yours Sincerely

M/s. Kumar Kering Properties Pvt Ltd

3.6.2019

आवक विभाग (मुख्यालय)
महाराष्ट्र प्रदूषण नियंत्रण मंडळ,
कल्पतरु पॉइंट, ३रा मजला, सायन मकल,
सिनेप्लेनेट समोर, सायन (पूर्व),
मुंबई - ४०० ०२२.
फोन :- २४०१०४३७ / २४०२०७८९.

Purva Patil

From: Purva Patil <purva.patil@eaepl.com>
Sent: Monday, February 11, 2019 5:55 PM
To: 'ecompliance-mh@gov.in'
Subject: Submission of PMR for M/S. KUMAR KERING PROPERTIES P. LTD., "Palm Spring" for the period of July, 2018 to December, 2018
Attachments: PMR_Kumar Kering Developers LLP-Palm Spring_Jul,18-Dec,18.pdf

To,

The Director,
Ministry of Environment, Forest & Climate Change,
Regional Office, West Central Zone,
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur - 440001.
Maharashtra.

Subject: Submission of Post Monitoring Report for the period of July, 2018 to December, 2018, for proposed Residential Group Housing Scheme "Palm Spring" at village Undri, Taluka Haveli, Dist – Pune.

Reference: Clearance letter File No. : BHA/ Village Undri/ Survey no. 12pt. 13pt/ Project no. 653/ 17-18 Dtd. 16th October, 2017 & File No. : SEAC-2010/CR-776/TC-2 Dtd. 25th July, 2013.

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

M/S. KUMAR KERING PROPERTIES P. LTD.,

C.C. to: - Environment Department, Mantralaya, Mumbai.
- The MS, MPCB, Sion, Mumbai.

Thanks & Regards.

Purva Patil.

o/c



KUMAR KERING DEVELOPERS LLP

KUMAR KERING DEVELOPERS LLP, EAST STREET, 2ND FLOOR, 111001, PUNE, MAHARASHTRA, INDIA

Date:

To,

The Director,

Ministry of Environment, Forest & Climate Change,
Regional Office, West Central Zone,
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur - 440001,
Maharashtra.

Subject: Submission of Post Monitoring Report for the period of July, 2018 to December, 2018, for proposed Residential Group Housing Scheme "Palm Spring" at village Undri, Taluka Haveli, Dist - Pune.

Reference: Clearance letter No. SEAC -2010/CR-776/TC-2 dtd. 25.07.2013.
PMRDA Clearance letter No. BHA/UNDRI/S. NO. 12 (p)/CASE NO - 653

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,
Yours faithfully,

KUMAR KERING DEVELOPERS LLP,

C.C. to: - ☒ Environment Department, Mantralaya, Mumbai.
- The MS, MPCB, Sion, Mumbai.

Chaw
13-2-19

आयुक्त सचिव
पर्यावरण विभाग
मंत्रालय, मुंबई



FBIHQ (60-10) (Encl. #18) (P) (1100) (P) (1038000) (11-3-95)
1995

To,

Ministry of Environment, Forest & Climate Change,
Regional Office, West Central Zone,
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur - 440001.
Maharashtra.

Reference: Clearance letter No. SEAC -2010/CR-776/TC-2 dtd. 25.07.2013.
PMRDA Clearance letter No. BHA/UNDRI/S. NO. 12 (p)/CASE NO - 653

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Thanking you,
Yours faithfully,

C.C. to: - Environment Department, Mantralaya, Mumbai.
- ✓ The MS, MPCB, Sion, Mumbai.

15/12/2019
सिवल फ्लान्टलमार्. गा. पा. कुं.
मुंबई- 400 022
मार्. २५/१०/३७, २४०२००८९

o/c



KUMAR KERING DEVELOPERS LLP

KUMAR CAPITAL, 2413 EAST STREET, CAMP, PUNE: 411001 Ph. No.: 30528888, 30583663 FAX: 020-2026353365

Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN: AAG

Date : 21/06/2018

To,

The Additional Director (S),

Ministry of Environment, Forest & Climate Change,

Regional Office, West Central Zone,

New Secretarial Building, East wing, Civil Lane,

Near Old VCA stadium,

Nagpur - 440001. Maharashtra.

Subject: Submission of Post Monitoring Report for the period of January, 2018 to June, 2018, for proposed Residential Group Housing Scheme "Palm Spring" at village Undri, Taluka Haveli, Dist - Pune.

Reference: Clearance letter No. SEAC-2010/CR-776/TC-2 dtd. 25.07.2013.

PMRDA Clearance letter No. BHA/UNDRI/S. NO. 12 (p)/CASE NO - 653

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi)

M Sharma
24/07/2018

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
Ministry of Environment, Forest & Climate Change
देशीय कार्यालय (पश्चिम मध्य क्षेत्र)
Regional Office (Western Central Zone)
भू-तल, पूर्व खंड / Ground Floor, East Wing
नयाँ सचिवालय भवन / New Secretariat Building
सिविल लाईन्स / Civil Lines
नागपुर / Nagpur-440 001

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

KUMAR KERING DEVELOPERS LLP

C.C. to: - Environmental Department, Mantralaya, Mumbai.
- The MS, MPCB, Sion, Mumbai.

o/c



KUMAR KERING DEVELOPERS LLP

KUMAR CAPITAL, 2413 EAST STREET, CAMP, PUNE: 411001 Ph. No.: 30526888, 30583663 FAX: 020-2026353365

Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN: AAG

Date : 21/06/2018

To,

The Additional Director (S),

Ministry of Environment, Forest & Climate Change,

Regional Office, West Central Zone,

New Secretarial Building, East wing, Civil Lane,

Near Old VCA stadium,

Nagpur - 440001. Maharashtra.

Subject: **Submission of Post Monitoring Report for the period of January, 2018 to June, 2018, for proposed Residential Group Housing Scheme "Palm Spring" at village Undri, Taluka Haveli, Dist - Pune.**

Reference: **Clearance letter No. SEAC -2010/CR-776/TC-2dtd.25.07.2013.**

PMRDA Clearance letter No. BHA/UNDRI/S. NO. 12 (p)/CASE NO - 653

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

KUMAR KERING DEVELOPERS LLP

C.C. to: - ☒ Environmental Department, Mantralaya, Mumbai.
- The MS, MPCB, Sion, Mumbai.

Macaron
19-7-18
मावत निगम
मानव संसाधन विभाग
पुणे - 411001

o/c



KUMAR KERING DEVELOPERS LLP

KUMAR CAPITAL, 2413 EAST STREET, CAMP, PUNE: 411001 Ph. No.: 305268888, 30583663 FAX: 020-2026353365

Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN: AAG

Date : 21/06/2018

To,

The Additional Director (S),

Ministry of Environment, Forest & Climate Change,

Regional Office, West Central Zone,

New Secretarial Building, East wing, Civil Lane,

Near Old VCA stadium,

Nagpur - 440001. Maharashtra.

Subject: Submission of Post Monitoring Report for the period of January, 2018 to June, 2018, for proposed Residential Group Housing Scheme "Palm Spring" at village Undri, Taluka Haveli, Dist - Pune.

Reference: Clearance letter No. SEAC -2010/CR-776/TC-2 dtd. 25.07.2013.

PMRDA Clearance letter No. BHA/UNDRI/S. NO. 12 (p)/CASE NO - 653

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

KUMAR KERING DEVELOPERS LLP

C.C. to: - Environmental Department, Mantralaya, Mumbai.
- The MS, MPCB, Sion, Mumbai.

21/06/18
असक विभाग (मुख्यालय)
महाराष्ट्र प्रदूषण नियंत्रण मंडल,
कल्याण रोड, 2/3/4 था माळा, सायन सेक्टर,
सिने प्लॅनेट समोर, सायन (पुर्व),
मुंबई - 400 022.
28030830 / 2802

o/c



KUMAR KERING DEVELOPERS LLP

KUMAR CAPITAL, 2413 EAST STREET, CAMP, PUNE: 411001 Ph. No.: 30528888, 30583663 FAX: 020-2026353365

Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN

To,

Date: 1st Dec 2017

The Director,

Ministry of Environment, Forest & Climate Change,
Regional Office, West Central Zone,
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur - 440001.
Maharashtra.

Subject: Submission of Post Monitoring Report for the period of July, 2017 to December, 2017, for proposed Residential Group Housing Scheme at "Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, Village Undri, Ta. Haveli, Pune, Maharashtra.at village Undri, Taluka Haveli, Dist - Pune.

Reference: Clearance letter No. SEAC-2010/CR-776/TC-2 dtd. 25.07.2013.

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

M/S. KUMAR KERING PROPERTIES P. LTD.,

C.C. to: - Environmental Department, Mantralaya, Mumbai.
- The MS, MPCB, Sion, Mumbai.

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
Ministry of Environment, Forest & Climate Change
देशीय कार्यालय (पश्चिम मध्य क्षेत्र)
Regional Office (Western Central Zone)
भू-तल, पूर्व खंड / Ground Floor, East Wing
नया सचिवालय भवन / New Secretariat Building
सिविल लाईन्स / Civil Lines
नागपुर / Nagpur-440 001

ole



KUMAR KERING DEVELOPERS LLP

KUMAR CAPITAL, 2413 EAST STREET, CAMP, PUNE: 411001 Ph. No.: 30528888, 30583663 FAX: 020-2026353365

Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN

To,

Date: 1st Dec 2017

The Director,

Ministry of Environment, Forest & Climate Change,
Regional Office, West Central Zone,
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur - 440001.
Maharashtra.

Subject: Submission of Post Monitoring Report for the period of July, 2017 to December, 2017, for proposed Residential Group Housing Scheme at "Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, Village Undri, Ta. Haveli, Pune, Maharashtra at village Undri, Taluka Haveli, Dist - Pune.

Reference: Clearance letter No. SEAC -2010/CR-776/TC-2 dtd. 25.07.2013.

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

M/S. KUMAR KERING PROPERTIES P. LTD.,
C.C. to: - Environmental Department, Mantralaya, Mumbai.
- The MS, MPCB, Sion, Mumbai.

31-1-18
आवक लिपिक
पर्यावरण विभाग
मंत्रालय, मुंबई-३२.

o/c



KUMAR KERING DEVELOPERS LLP

KUMAR CAPITAL, 2413 EAST STREET, CAMP, PUNE: 411001 Ph. No.: 30520868, 30583663 FAX: 020-2026353365

Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN

To,

Date: 1st Dec 2017

The Director,

Ministry of Environment, Forest & Climate Change,
Regional Office, West Central Zone,
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur - 440001.
Maharashtra.

Subject: Submission of Post Monitoring Report for the period of July, 2017 to December, 2017, for proposed Residential Group Housing Scheme at "Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, Village Undri, Ta. Haveli, Pune, Maharashtra at village Undri, Taluka Haveli, Dist - Pune.

Reference: Clearance letter No. SEAC -2010/CR-776/TC-2 dtd. 25.07.2013.

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

M/S. KUMAR KERING PROPERTIES P. LTD.,

C.C. to: - Environmental Department, Mantralaya, Mumbai.
- The MS, MPCB, Sion, Mumbai.

31/11/17
महाराष्ट्र प्रदूषण नियंत्रण मंडळ
महाराष्ट्र, 12/1/2 या माध्य, सावन सहाय मंडळ
मिनि एनव्हायरमेंट, सावन (पुणे)
पुणे - 411 001
- 30520868/30583663

o/c



KUMAR KERING DEVELOPERS LLP

KUMAR CAPITAL, 2413 EAST STREET, CAMP, PUNE: 411001 Ph. No.: 30528888, 30583663 FAX: 020-2026353365
Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN: AAG

Date: 1st June 2017

To,

The Director,
Ministry of Environment, Forest & Climate Change,
Regional Office, West Central Zone,
New Secretariat Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur - 440001.
Maharashtra.

Subject: Submission of Post Monitoring Report for the period of January, 2017 to June, 2017, for proposed Residential Group Housing Scheme at village Undri, Taluka Haveli, Dist - Pune.

Reference: Clearance letter No. SEAC -2010/CR-776/TC-2 dtd. 25.07.2013.

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

For M/S. KUMAR KERING PROPERTIES P. LTD.,

[Signature]
11/06/2017

[Signature]
31-10-17
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
Ministry of Environment, Forest & Climate Change
क्षेत्रीय कार्यालय (पश्चिम मध्य क्षेत्र)
Regional Office (West Central Zone)
महानगर, पूर्व खंड / Ground Floor, East Wing
नया सचिवालय भवन / New Secretariat Building
सिविल लाईन्स / Civil Lines

C.C. to: - Environmental Department, Mantralaya, Mumbai-440 001
- The MS, MPCB, Sion, Mumbai.



KUMAR KERING DEVELOPERS LLP

KUMAR CAPITAL, 2413 EAST STREET, CAMP, PUNE: 411001 Ph. No.: 30528888, 30583663 FAX: 020-2026353365
Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN: AAG

Date: 1st June 2017

To,

The Director,
Ministry of Environment, Forest & Climate Change,
Regional Office, West Central Zone,
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur - 440001.
Maharashtra.

Subject: Submission of Post Monitoring Report for the period of January, 2017 to June, 2017, for proposed Residential Group Housing Scheme at village Undri, Taluka Haveli, Dist - Pune.

Reference: Clearance letter No. SEAC -2010/CR-776/TC-2 dtd 25.07.2013.

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:

1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

For M/S. KUMAR KERING PROPERTIES P. LTD.,

21/04/2017

C.C. to: - ☒ Environmental Department, Mantralaya, Mumbai.
- ☐ The MS, MPCB, Slon, Mumbai.

1-11-17
आर्यक लिपिक
पर्यावरण विभाग
मंत्रालय, मुंबई-४०००३२



KUMAR KERING DEVELOPERS LLP

KUMAR CAPITAL, 2413 EAST STREET, CAMP, PUNE: 411001 PH. No.: 30526888, 30583663 FAX: 020-2026353365
Website: www.kumarworld.com Email ID: contact@kumarworld.com LLPIN: AAG

Date: 1st June 2017

To,

The Director,
Ministry of Environment, Forest & Climate Change,
Regional Office, West Central Zone,
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur - 440001.
Maharashtra.

Subject: Submission of Post Monitoring Report for the period of January, 2017 to June, 2017, for proposed Residential Group Housing Scheme at village Undri, Taluka Haveli, Dist - Pune.

Reference: Clearance letter No. SEAC -2010/CR-776/TC-2 dtd. 25.07.2013.

Dear Sir,

This is with reference to the above subject. We are submitting the half yearly, post monitoring report along with all relevant documents needed as follows:


1. Data Sheet.
2. EC compliance Report.
3. Post Environment Monitoring Report.
4. Energy Conservation measures.
5. EC letter.
6. Copy of consent to Establish.
7. Copy of Newspaper Advertisement (English & Marathi).

Hope the above are in line with your requirement and kindly acknowledge the receipt.

Thanking you,

Yours faithfully,

For M/S. KUMAR KERING PROPERTIES P. LTD.,


21/06/2017

C.C. to: - Environmental Department, Mantralaya, Mumbai.
- The MS, MPCB, Sion, Mumbai.

Regional Office, West Central Zone
Ministry of Environment, Forest & Climate Change
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium, Nagpur (East),
Nagpur - 440001
Phone : 24510437 / 24020741

Kumar Kering Properties LLP

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune – 411 001.

Ph. No.: 91-020-3052 8888, Fax: 91-20-26353365

To,
The Environmental Secretary,
Room No. 217, 2nd floor,
Environment Department,
Govt. of Maharashtra Mantralaya,
Mumbai- 400 032

Date:

Subject: Post EC Monitoring report for Proposed Residential Group Housing scheme
"Palmspring" located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4,
12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta.
Haveli, Pune, Maharashtra by **M/s. Kumar Kering Properties Pvt.Ltd.**

Ref: Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group housing scheme "Palmspring" located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra by **M/s. Kumar Kering Properties Pvt.Ltd.**

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference

1. Data sheet (January'16-June'16)
2. Environmental Clearance Letter
3. Compliance report
4. Post EC Environment monitoring report (January'16-March'16)
5. Post EC Environment monitoring report (April'16-June'16)
6. Annexure I- Project details & Annexure II- EMP Cost
7. Copy of News paper Advertisement (English & Local language)
8. Project Status report
9. CTE Copy

Hope you will find the above in the line with your requirement.

Thanking you,

Yours faithfully,

For, **M/s. Kumar Kering Properties Pvt.Ltd.**



CC to:

1. Shri B.R.Naidu, Senior Environmental Engineer & Incharge, Parivesh Bhawan opp., VMC ward office No. 10, Subhanpura, Vadodara-390 023
2. The CCF, Regional Office, Western region, "Kendriya Paryavaran Bhavan" Link road No. 3, Raishankar Nagar, Bhopal-462 016.(M.P.)
3. The member secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd & 4th floor, Opp. Cine Planet, Sion Circle, Mumbai- 400022, India

Kumar Kering Properties LLP

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune – 411 001.
Ph. No.: 91-020-3052 8888, Fax: 91-20-26353365

To,
The Member Secretary,
Maharashtra Pollution Control Board,
Kalpataru Point, 3rd & 4th floor,
Opp. Cine Planet, Sion Circle,
Mumbai- 400022, India

Date:

Subject: Post EC Monitoring report for Proposed Residential Group Housing scheme "Palmspring" located in Undri village, Ta. Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt.Ltd.

Ref: Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group housing scheme "Palmspring" located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt.Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference

1. Data sheet (January'16-June'16)
2. Environmental Clearance Letter
3. Compliance report
4. Post EC Environment monitoring report (January'16-March'16)
5. Post EC Environment monitoring report (April'16-June'16)
6. Annexure I- Project details & Annexure II- EMP Cost
7. Copy of News paper Advertisement (English & Local language)
8. Project Status report
9. CTE Copy

Hope you will find the above in the line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt.Ltd.



CC to:

1. Shri B.R.Naidu, Senior Environmental Engineer & Incharge, Parivesh Bhawan opp., VMC ward office No. 10, Subhanpura, Vadodara-390 023
2. The CCF, Regional Office, Western region, "Kendriya Paryavaran Bhavan" Link road No. 3, Raishankar Nagar, Bhopal-462 016.(M.P.)
3. The Environmental Secretary, Room No. 217, 2nd floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

Kumar Kering Properties LLP

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune – 411 001.

Ph. No.: 91-020-3052 8888, Fax: 91-20-26353365

To,
The CCF, Regional Office (WCZ),
Ground Floor, East Wing,
New Secretariat Building,
Civil Line, Nagpur - 440001

Date:

Subject: Post EC Monitoring report for Proposed Residential Group Housing scheme "Palmspring" located in Undri Village, Ta. Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt.Ltd.

Ref: Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group housing scheme "Palmspring" located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt.Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference

1. Data sheet (January'16-June'16)
2. Environmental Clearance Letter
3. Compliance report
4. Post EC Environment monitoring report (January'16-March'16)
5. Post EC Environment monitoring report (April'16-June'16)
6. Annexure I- Project details & Annexure II- EMP Cost
7. Copy of News paper Advertisement (English & Local language)
8. Project Status report
9. CTE Copy

Hope you will find the above in the line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt.Ltd.



CC to:

1. Shri B.R.Naidu, Senior Environmental Engineer & Incharge, Parivesh Bhawan opp., VMC ward office No. 10, Subhanpura, Vadodara-390 023
2. The member secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd & 4th floor, Opp. Cine Planet, Sion Circle, Mumbai- 400022, India
3. The Environmental Secretary, Room No. 217, 2nd floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

Kumar Kering Properties LLP

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune – 411 001.
Ph. No.: 91-020-3052 8888, Fax: 91-20-26353365

To,
Shri B.R.Naidu,
Senior Environmental Engineer & Incharge,
Parivesh Bhawan opp., VMC ward office No. 10,
Subhanpura, Vadodara-390 023

Date:

Subject: Post EC Monitoring report for Proposed Residential Group Housing scheme "Palmspring" located in Undri Vilage, Ta. Haveli, Pune, Maharashtra by **M/s. Kumar Kering Properties Pvt.Ltd.**

Ref: Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group housing scheme "Palmspring" located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra by **M/s. Kumar Kering Properties Pvt.Ltd.**

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference

1. Data sheet (January'16-June'16)
2. Environmental Clearance Letter
3. Compliance report
4. Post EC Environment monitoring report (January'16-March'16)
5. Post EC Environment monitoring report (April'16-June'16)
6. Annexure I- Project details & Annexure II- EMP Cost
7. Copy of News paper Advertisement (English & Local language)
8. Project Status report
9. CTE Copy

Hope you will find the above in the line with your requirement.

Thanking you,

Yours faithfully,

For, **M/s. Kumar Kering Properties Pvt.Ltd.**



CC to:

1. The member secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd & 4th floor, Opp. Cine Planet, Sion Circle, Mumbai- 400022, India
2. The CCF, Regional Office, Western region, "Kendriya Paryavaran Bhavan" Link road No. 3, Raishankar Nagar, Bhopal-462 016.(M.P.)
3. The Environmental Secretary, Room No. 217, 2nd floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

Kumar Kering Properties LLP

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001.
Ph. No.: 91-020-3052 8888, Fax: 91-20-26353365

To,
Shri B.R.Naidu,
Senior Environmental Engineer & Incharge,
Parivesh Bhawan opp., VMC ward office No. 10,
Subhanpura, Vadodara-390 023

Date:

Subject: Post EC Monitoring report for Proposed Residential Group Housing scheme "Palmspring" located in Undri Village, Ta. Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt.Ltd.

Ref: Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No.SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group housing scheme "Palmspring" located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt.Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference

1. Data sheet (January'16-June'16)
2. Environmental Clearance Letter
3. Compliance report
4. Post EC Environment monitoring report (January'16-March'16)
5. Post EC Environment monitoring report (April'16-June'16)
6. Annexure I- Project details & Annexure II- EMP Cost
7. Copy of News paper Advertisement (English & Local language)
8. Project Status report
9. CTE Copy

Hope you will find the above in the line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt.Ltd.



Received
23.8.16

प्रदूषण नियंत्रण बोर्ड,
राज्य कार्यालय, (पश्चिम) बंगलौर

CC to:

1. The member secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd & 4th floor, Opp. Cine Planet, Sion Circle, Mumbai- 400022, India
2. The CCF, Regional Office, Western region, "Kendriya Paryavaran Bhavan" Link road No. 3, Raishankar Nagar, Bhopal-462 016.(M.P.)
3. The Environmental Secretary, Room No. 217, 2nd floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

SP VADODARA RMS (390020)

EG675872816IN

Counter No:1,OP-Code:FPP

To:CCF,CIVIL LINE

NAGPUR, PIN:440001

From:GREEN CIRCLE INC , GOTRI ,VDR21

Wt:266grams,

Amt:69.00 ,23/08/2016 ,14:36

Taxes:Rs.9.00<<Track on www.indiapost.gov.in

भारतीय डाक



India Post

SP VADODARA RMS (390020)

EG675872802IN

Counter No:1,OP-Code:FPP

To:MEMBER SEC,SION CIRCLE

MUMBAI, PIN:400022

From:GREEN CIRCLE INC , GOTRI ,VDR21

Wt:248grams,

Amt:69.00 ,23/08/2016 ,14:37

Taxes:Rs.9.00<<Track on www.indiapost.gov.in

भारतीय डाक



India Post

SP VADODARA RMS (390020)

EG675872970IN

Counter No:1,OP-Code:FPP

To:ENVIRONMENTAL SEC,GOVT OF MAHARASTRA

MUMBAI, PIN:400032

From:GREEN CIRCLE INC , GOTRI ,VDR21

Wt:264grams,

Amt:69.00 ,23/08/2016 ,14:38

Taxes:Rs.9.00<<Track on www.indiapost.gov.in

भारतीय डाक



India Post



KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001. Tel.: 26350660, 3052 8888, Fax: 26353365

Date: July 21, 2014

To,
Maharashtra Pollution Control Board,
Kalpataru Point, 3rd and 4th floor,
Opp. Cine Planet, Sion Circle,
Mumbai-400 022, India.

Sub: Post EC Monitoring report for Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

Ref: Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference.

1. Data sheet (January 2014 to June 2014)
2. Environment Clearance Letter
3. Compliance Report
4. Post EC Environment Monitoring Report (January 2014 – March 2014)
5. Post EC Environment Monitoring Report (April 2014 to June 2014)
6. Annexure I – Project Details & Annexure II – EMP Cost
7. Copy of Newspaper Advertisement (English & Local Language)
8. Project Status Report
9. Copy of Consent to Establish

Hope you will find the above in line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt. Ltd.

BP 20/7/14
Maharashtra Pollution Control Board
Kalpataru Point, 2/3/4th Floor,
Sion Matunga Scheme, Road No. 8,
Opp. Sion Circle, Sion (East),
MUMBAI - 400 022.

Copy to:

1. The CCF, Regional Office, Western Region, "Kendriya Paryavaran Bhavan" Link Road No. 3, Raishankar Nagar, Bhopal- 462 016. (M. P.).
2. Shri B. R. Naidu, Senior Environmental Engineer & Incharge, Parivesh Bhawan opp., VMC ward Office No. 10, Subhanpura, Vadodara-390 023.
3. The Environment Secretary, Room No. 217, 2nd Floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032



KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001. Tel.:26350660, 3052 8888, Fax: 26353365

Date: March 03, 2015

To,
Shri B. R. Naidu,
Senior Environmental Engineer & Incharge
Parivesh Bhawan opp., VMC ward Office No. 10,
Subhanpura, Vadodara-390 023

Subject: Post EC Monitoring report for Proposed Residential group Housing Scheme located at Survey No, 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

Ref: Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group Housing Scheme located Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference.

1. Data sheet (July'14-December'14)
2. Environmental Clearance Letter
3. Compliance report
4. Post EC Environment monitoring report (July'14-September'14)
5. Post EC Environment monitoring report (October'14-December'14)
6. Annexure I- Project details & Annexure II- EMP Cost
7. Copy of News paper Advertisement (English & Local language)
8. Project Status report
9. CTE Copy

Hope you will find the above in line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt. Ltd.

केन्द्रीय प्रदूषण नियंत्रण बोर्ड
(पर्यावरण एवं वन मंत्रालय, भारत सरकार)
आंचलिक कार्यालय (पश्चिम), 'परिवेश भवन',
वी.एम.सी. बोर्ड कार्यालय नं. १० के सामने,
सुभानपुरा, वडोदरा - ३९० ०२३

CC to:

1. Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022, India.
2. The CCF, Regional Office, Western Region, "Kendriya Paryavaran Bhavan" Link Road No. 3, Raishankar Nagar, Bhopal- 462 016. (M. P.).
3. The Environment Secretary, Room No. 217, 2nd Floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032



KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001. Tel.: 26350660, 3052 8888, Fax: 26353365

Date: March 03, 2015

To,
Maharashtra Pollution Control Board,
Kalpataru Point, 3rd and 4th floor,
Opp. Cine Planet, Sion Circle,
Mumbai-400 022, India.

Subject: Post EC Monitoring report for Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

Ref: Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group Housing Scheme located Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference.

1. Data sheet (July'14-December'14)
2. Environmental Clearance Letter
3. Compliance report
4. Post EC Environment monitoring report (July'14-September'14)
5. Post EC Environment monitoring report (October'14-December'14)
6. Annexure I- Project details & Annexure II- EMP Cost
7. Copy of News paper Advertisement (English & Local language)
8. Project Status report
9. CTE Copy

Hope you will find the above in line with your requirement.

Thanking you,

Yours faithfully,
For, M/s. Kumar Kering Properties Pvt. Ltd.

Copy to:

1. The CCF, Regional Office, Western Region, "Kendriya Paryavaran Bhavan" Link Road No. 3, Raishankar Nagar, Bhopal- 462 016. (M. P.).
2. Shri B. R. Naidu, Senior Environmental Engineer & Incharge, Pariveshi Bhawan opp., VMC ward Office No. 10, Subhanpura, Vadodara-390 023.
3. The Environment Secretary, Room No. 217, 2nd Floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

Handwritten signature and date: 03/03/15
Maharashtra Pollution Control Board
Kalpataru Point, 2/3/4th Floor,
Sion Malunga Scheme, Road No. 6,
Opp. Sion Circle, Sion (East),
MUMBAI - 400 022.
Phone : 24010437 / 24020781



Palm Spring

Ack

KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001. Tel.: 26350660, 3052 8888, Fax: 26353365

To,
Shri B. R. Naidu,
Senior Environmental Engineer & Incharge
Parivesh Bhawan opp., VMC ward Office No. 10,
Subhanpura, Vadodara-390 023

Date: March 28, 2014

Sub: Post EC Monitoring report for Proposed Residential group Housing Scheme located at Survey No, 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

Ref: Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference.

1. Data sheet (July'13 - December'13)
2. Environment Clearance Letter
3. Compliance Report
4. Post EC Environment Monitoring Report (July'13 - September'13)
5. Post EC Environment Monitoring Report (October'13 - December'13)
6. Annexure I - Project Details & Annexure II - EMP Cost
7. Copy of Newspaper Advertisement (English & Local Language)
8. Project Status Report
9. Ack. of CTE Applied

Hope you will find the above in line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt. Ltd

CC to:

1. Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022, India.
2. The CCF, Regional Office, Western Region, "Kendriya Paryavaran Bhavan" Link Road No. 3, Raishankar Nagar, Bhopal- 462 016. (M. P.).
3. The Environment Secretary, Room No. 217, 2nd Floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

केन्द्रीय प्रदूषण नियंत्रण बोर्ड
(पर्यावरण एवं वन मंत्रालय, भारत सरकार)
आंध्र प्रदेश राज्यपाल (पुणे), 'पुणे'
सुभाष नगर, पुणे - ४११ ०२३



KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001. Tel.: 26350660, 3052 8888, Fax: 26353365

Date: March 28, 2014

To,
Maharashtra Pollution Control Board,
Kalpataru Point, 3rd and 4th floor,
Opp. Cine Planet, Sion Circle,
Mumbai-400 022, India.

Sub: Post EC Monitoring report for Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

Ref: Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference.

1. Data sheet (July'13 - December'13)
2. Environment Clearance Letter
3. Compliance Report
4. Post EC Environment Monitoring Report (July'13 - September'13)
5. Post EC Environment Monitoring Report (October'13 - December'13)
6. Annexure I - Project Details & Annexure II - EMP Cost
7. Copy of Newspaper Advertisement (English & Local Language)
8. Project Status Report
9. Ack. of CTE Applied

Hope you will find the above in line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt. Ltd

RECEIVED LETTER
01/09/14
(H.O.)
TION
22

Copy to:

1. The CCF, Regional Office, Western Region, "Kendriya Paryavaran Bhavan" Link Road No. 3, Raishankar Nagar, Bhopal- 462 016. (M. P.).
2. Shri B. R. Naidu, Senior Environmental Engineer & Incharge, Parivesh Bhawan opp., VMC ward Office No. 10, Subhanpura, Vadodara-390 023.
3. The Environment Secretary, Room No. 217, 2nd Floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032



KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001. Tel.: 26350660, 3052 8888, Fax: 26353363

Date: March 28, 2014

To,
The Environment Secretary,
Room No. 217, 2nd Floor, Environment Department,
Govt. of Maharashtra Mantralaya,
Mumbai- 400 032

Sub: Post EC Monitoring report for Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

Ref: Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference.

1. Data sheet (July' 13 - December' 13).
2. Environment Clearance Letter
3. Compliance Report
4. Post EC Environment Monitoring Report (July' 13 - September' 13)
5. Post EC Environment Monitoring Report (October' 13 - December' 13)
6. Annexure I - Project Details & Annexure II - EMP Cost
7. Copy of Newspaper Advertisement (English & Local Language).
8. Project Status Report
9. Ack. of CTE Applied

Hope you will find the above in line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt. Ltd

Copy to:

1. To, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022, India
2. Shri B. R. Naidu, Senior Environmental Engineer & Incharge, Parivesh Bhawan opp., VMC ward Office No. 10, Subhanpura, Vadodara-390 023.
3. The CCF, Regional Office, Western Region, "Kendriya Paryavaran Bhavan" Link Road No. 3, Raishankar Nagar, Bhopal- 462 016. (M. P.).

आवक लिपि

वर्तमान विभाग

प्राप्त, मुंबई-३३



Pellus 8/14

KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001. Tel.: 26350660, 3052 8888, Fax: 26353365

Date: July 21, 2014

To,
Shri B. R. Naidu,
Senior Environmental Engineer & Incharge
Parivesh Bhawan opp., VMC ward Office No. 10,
Subhanpura, Vadodara-390 023

Sub: Post EC Monitoring report for Proposed Residential group Housing Scheme located at Survey No, 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

Ref: Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference.

1. Data sheet (January 2014 to June 2014)
2. Environment Clearance Letter
3. Compliance Report
4. Post EC Environment Monitoring Report (January 2014 - March 2014)
5. Post EC Environment Monitoring Report (April 2014 to June 2014)
6. Annexure I - Project Details & Annexure II - EMP Cost
7. Copy of Newspaper Advertisement (English & Local Language)
8. Project Status Report
9. Copy of Consent to Establish

Hope you will find the above in line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt. Ltd.

केन्द्रीय पर्यावरण विभाग
(पर्यावरण एवं वायु प्रदूषण नियंत्रण बोर्ड, मुंबई)
अधीनस्थ कार्यालय (पुणे).
चिपळूण रोड, केंद्र कार्यालय नं. 30 के समीप,
सुभापुरा, वडोदरा - ३९० ०२३
19.8.14

CC to:

1. Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022, India.
2. The CCF, Regional Office, Western Region, "Kendriya Paryavaran Bhavan" Link Road No. 3, Raishankar Nagar, Bhopal- 462 016. (M. P.).
3. The Environment Secretary, Room No. 217, 2nd Floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032



KUMAR KERING PROPERTIES PVT. LTD.

Correspondence Address: "Kumar Capital" 1st Floor, 2413, East Street, Camp, Pune - 411 001. Tel: 26350680, 3052 8888, Fax: 26353365

Date: July 21, 2014

To,
Maharashtra Pollution Control Board,
Kalpataru Point, 3rd and 4th floor,
Opp. Cine Planet, Sion Circle,
Mumbai-400 022, India.

Sub: Post EC Monitoring report for Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

Ref: Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 for our above mentioned Proposed Residential group Housing Scheme located at Survey No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra by M/s. Kumar Kering Properties Pvt. Ltd.

In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference.

1. Data sheet (January 2014 to June 2014)
2. Environment Clearance Letter
3. Compliance Report
4. Post EC Environment Monitoring Report (January 2014 - March 2014)
5. Post EC Environment Monitoring Report (April 2014 to June 2014)
6. Annexure I - Project Details & Annexure II - EMP Cost
7. Copy of Newspaper Advertisement (English & Local Language)
8. Project Status Report
9. Copy of Consent to Establish

Hope you will find the above in line with your requirement.

Thanking you,

Yours faithfully,

For, M/s. Kumar Kering Properties Pvt. Ltd.

20/7/14
Maharashtra Pollution Control Board
Kalpataru Point, 2/3/4th Floor,
Sion Matunga Scheme, Road No. 8,
Opp. Sion Circle, Sion (East),
MUMBAI - 400 022.

Copy to:

1. The CCF, Regional Office, Western Region, "Kendriya Paryavaran Bhavan" Link Road No. 3, Raishankar Nagar, Bhopal- 462 016. (M. P.).
2. Shri B. R. Naidu, Senior Environmental Engineer & Incharge, Parivesh Bhawan opp., VMC ward Office No. 10, Subhanpura, Vadodra-390 023.
3. The Environment Secretary, Room No. 217, 2nd Floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

Budget for Environment Management Plan
Palm Spring

Construction Phase:

Sr. No.	Parameter	Total cost in Lakhs per annum
1	Water	0.14
2	Site Sanitation & Safety	3.22
3	Environmental Monitoring	2.5
4	Disinfection	0.32
5	Health Check up	0.6
7	Total Cost	6.78

Operation Phase:

Sr. No.	Pollution Control Measures	Capital Cost (Rs. Lakhs)	Recurring Cost Per Annum (Rs. Lakhs)
1.	STP	6.5	0.5
2.	Solid Waste Management	2	0.5
3.	Rain Water Harvesting	10	1.5
4.	Energy Conservation	3	0.25
5.	Landscaping	44	2
	Total	65.5	4.75

Public Notice

Annexure - 10

English News paper Public Notice

Racing hubs

Traffic policemen claim that for the time being, they are targeting road stretches at Vakola, Kherwadi, Nirmal Nagar, Lion Matunga, Worli Sea Face, Western and Eastern Express Highways, Bandra Bandstand and Reclamation areas. These locations are the preferred hotspots of speed demons and have gained notoriety for late-night races, said cops. Traffic cops will also seize the motorbikes and licences of the bikers that are caught driving rashly or speeding.

"We are now fishing out information on many other bikers who are involved in rash driving and illegal bike races. We are getting details about them from those bikers who are caught red-handed," said Deputy Commissioner of Police (Traffic) Pratap Dighavkar. These bikers will be booked under various sections of the Criminal Procedure Code (CrPC), he added.

Police said their approach to coaxing information on net-

PUBLIC NOTICE

We, M/s Kumar Kering Properties Pvt. Ltd., hereby bring to the kind notice of general Public that Environment Department of Government Of Maharashtra has granted environmental clearance for proposed "Residential Group Housing Scheme" situated at S.No.12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Tal. Haveli, Pune, Maharashtra vide their letter dated 25th July 2013 bearing file No. SEAC-2010/CR-776/TC.2.

The copies of the Clearance letter is available with Maharashtra Pollution Control board and may also be seen on the website of Department of Environment, Government of Maharashtra at <http://www.envs.maharashtra.gov.in>

M/s. Kumar Kering Properties Pvt. Ltd.

Marathi News Paper Public Notice

पुणे शहर

BANK OF MAHARASHTRA (Tilgaon Branch) V/s Opponent

SUMMONS

To: 2) Nandu Babarao Bhujbal, Pabai Chowk, Tilgaon Chaudhary, Taluka: Chitavi, Dist.: Pune.

WHEREAS the above named Applicant has filed the above referred application/appeal in this court.

2) WHEREAS the service of summons/note could not be effected in the ordinary manner and whereas the applicant for substituted service has been allowed by this Tribunal.

3) You are directed to appear before this Tribunal in person or through an Advocate and file written statement/affidavit on 11/11/2013 at 10:30 a.m. and show cause as to why relief prayed for should not be granted.

4) Take notice that in case of default, the application/appeal shall be heard and decided in your absence.

Given under my hand and seal of the Tribunal on this 1st day of Oct. 2013.

sd/-
Registrar/Assistant Registrar
DCT, Pune

जाहीर सूचना

आम्ही मे. कुमार के.अरिग प्रॉपर्टीज प्रा.लि. याद्वारे सर्वसाधारण जनतेस यादव करून देतो की, महाराष्ट्र सरकारच्या पर्यावरण मंडळाने सध्या १२/१/२, १२/१/३, १२/१/४, १२/२, १२/३अ, १२/३ब, १२/४, १२/५अ/१, १२/५ब, १२/५/१, १२/५/२, १२/६, १२/६/१, १२/६/२, १२/६/३ आणि १२/६/३/१, उन्ही, १२/६/१, १२/७, १२/८, १२/१२/१, १२/१२/२ आणि १२/१२/३, उन्ही, १२/१२/३, १२/१२/४, १२/१२/५, १२/१२/६, १२/१२/७, १२/१२/८, १२/१२/९, १२/१२/१०, १२/१२/११, १२/१२/१२, १२/१२/१३, १२/१२/१४, १२/१२/१५, १२/१२/१६, १२/१२/१७, १२/१२/१८, १२/१२/१९, १२/१२/२०, १२/१२/२१, १२/१२/२२, १२/१२/२३, १२/१२/२४, १२/१२/२५, १२/१२/२६, १२/१२/२७, १२/१२/२८, १२/१२/२९, १२/१२/३०, १२/१२/३१, १२/१२/३२, १२/१२/३३, १२/१२/३४, १२/१२/३५, १२/१२/३६, १२/१२/३७, १२/१२/३८, १२/१२/३९, १२/१२/४०, १२/१२/४१, १२/१२/४२, १२/१२/४३, १२/१२/४४, १२/१२/४५, १२/१२/४६, १२/१२/४७, १२/१२/४८, १२/१२/४९, १२/१२/५०, १२/१२/५१, १२/१२/५२, १२/१२/५३, १२/१२/५४, १२/१२/५५, १२/१२/५६, १२/१२/५७, १२/१२/५८, १२/१२/५९, १२/१२/६०, १२/१२/६१, १२/१२/६२, १२/१२/६३, १२/१२/६४, १२/१२/६५, १२/१२/६६, १२/१२/६७, १२/१२/६८, १२/१२/६९, १२/१२/७०, १२/१२/७१, १२/१२/७२, १२/१२/७३, १२/१२/७४, १२/१२/७५, १२/१२/७६, १२/१२/७७, १२/१२/७८, १२/१२/७९, १२/१२/८०, १२/१२/८१, १२/१२/८२, १२/१२/८३, १२/१२/८४, १२/१२/८५, १२/१२/८६, १२/१२/८७, १२/१२/८८, १२/१२/८९, १२/१२/९०, १२/१२/९१, १२/१२/९२, १२/१२/९३, १२/१२/९४, १२/१२/९५, १२/१२/९६, १२/१२/९७, १२/१२/९८, १२/१२/९९, १२/१२/१००, १२/१२/१०१, १२/१२/१०२, १२/१२/१०३, १२/१२/१०४, १२/१२/१०५, १२/१२/१०६, १२/१२/१०७, १२/१२/१०८, १२/१२/१०९, १२/१२/११०, १२/१२/१११, १२/१२/११२, १२/१२/११३, १२/१२/११४, १२/१२/११५, १२/१२/११६, १२/१२/११७, १२/१२/११८, १२/१२/११९, १२/१२/१२०, १२/१२/१२१, १२/१२/१२२, १२/१२/१२३, १२/१२/१२४, १२/१२/१२५, १२/१२/१२६, १२/१२/१२७, १२/१२/१२८, १२/१२/१२९, १२/१२/१३०, १२/१२/१३१, १२/१२/१३२, १२/१२/१३३, १२/१२/१३४, १२/१२/१३५, १२/१२/१३६, १२/१२/१३७, १२/१२/१३८, १२/१२/१३९, १२/१२/१४०, १२/१२/१४१, १२/१२/१४२, १२/१२/१४३, १२/१२/१४४, १२/१२/१४५, १२/१२/१४६, १२/१२/१४७, १२/१२/१४८, १२/१२/१४९, १२/१२/१५०, १२/१२/१५१, १२/१२/१५२, १२/१२/१५३, १२/१२/१५४, १२/१२/१५५, १२/१२/१५६, १२/१२/१५७, १२/१२/१५८, १२/१२/१५९, १२/१२/१६०, १२/१२/१६१, १२/१२/१६२, १२/१२/१६३, १२/१२/१६४, १२/१२/१६५, १२/१२/१६६, १२/१२/१६७, १२/१२/१६८, १२/१२/१६९, १२/१२/१७०, १२/१२/१७१, १२/१२/१७२, १२/१२/१७३, १२/१२/१७४, १२/१२/१७५, १२/१२/१७६, १२/१२/१७७, १२/१२/१७८, १२/१२/१७९, १२/१२/१८०, १२/१२/१८१, १२/१२/१८२, १२/१२/१८३, १२/१२/१८४, १२/१२/१८५, १२/१२/१८६, १२/१२/१८७, १२/१२/१८८, १२/१२/१८९, १२/१२/१९०, १२/१२/१९१, १२/१२/१९२, १२/१२/१९३, १२/१२/१९४, १२/१२/१९५, १२/१२/१९६, १२/१२/१९७, १२/१२/१९८, १२/१२/१९९, १२/१२/२००, १२/१२/२०१, १२/१२/२०२, १२/१२/२०३, १२/१२/२०४, १२/१२/२०५, १२/१२/२०६, १२/१२/२०७, १२/१२/२०८, १२/१२/२०९, १२/१२/२१०, १२/१२/२११, १२/१२/२१२, १२/१२/२१३, १२/१२/२१४, १२/१२/२१५, १२/१२/२१६, १२/१२/२१७, १२/१२/२१८, १२/१२/२१९, १२/१२/२२०, १२/१२/२२१, १२/१२/२२२, १२/१२/२२३, १२/१२/२२४, १२/१२/२२५, १२/१२/२२६, १२/१२/२२७, १२/१२/२२८, १२/१२/२२९, १२/१२/२३०, १२/१२/२३१, १२/१२/२३२, १२/१२/२३३, १२/१२/२३४, १२/१२/२३५, १२/१२/२३६, १२/१२/२३७, १२/१२/२३८, १२/१२/२३९, १२/१२/२४०, १२/१२/२४१, १२/१२/२४२, १२/१२/२४३, १२/१२/२४४, १२/१२/२४५, १२/१२/२४६, १२/१२/२४७, १२/१२/२४८, १२/१२/२४९, १२/१२/२५०, १२/१२/२५१, १२/१२/२५२, १२/१२/२५३, १२/१२/२५४, १२/१२/२५५, १२/१२/२५६, १२/१२/२५७, १२/१२/२५८, १२/१२/२५९, १२/१२/२६०, १२/१२/२६१, १२/१२/२६२, १२/१२/२६३, १२/१२/२६४, १२/१२/२६५, १२/१२/२६६, १२/१२/२६७, १२/१२/२६८, १२/१२/२६९, १२/१२/२७०, १२/१२/२७१, १२/१२/२७२, १२/१२/२७३, १२/१२/२७४, १२/१२/२७५, १२/१२/२७६, १२/१२/२७७, १२/१२/२७८, १२/१२/२७९, १२/१२/२८०, १२/१२/२८१, १२/१२/२८२, १२/१२/२८३, १२/१२/२८४, १२/१२/२८५, १२/१२/२८६, १२/१२/२८७, १२/१२/२८८, १२/१२/२८९, १२/१२/२९०, १२/१२/२९१, १२/१२/२९२, १२/१२/२९३, १२/१२/२९४, १२/१२/२९५, १२/१२/२९६, १२/१२/२९७, १२/१२/२९८, १२/१२/२९९, १२/१२/३००, १२/१२/३०१, १२/१२/३०२, १२/१२/३०३, १२/१२/३०४, १२/१२/३०५, १२/१२/३०६, १२/१२/३०७, १२/१२/३०८, १२/१२/३०९, १२/१२/३१०, १२/१२/३११, १२/१२/३१२, १२/१२/३१३, १२/१२/३१४, १२/१२/३१५, १२/१२/३१६, १२/१२/३१७, १२/१२/३१८, १२/१२/३१९, १२/१२/३२०, १२/१२/३२१, १२/१२/३२२, १२/१२/३२३, १२/१२/३२४, १२/१२/३२५, १२/१२/३२६, १२/१२/३२७, १२/१२/३२८, १२/१२/३२९, १२/१२/३३०, १२/१२/३३१, १२/१२/३३२, १२/१२/३३३, १२/१२/३३४, १२/१२/३३५, १२/१२/३३६, १२/१२/३३७, १२/१२/३३८, १२/१२/३३९, १२/१२/३४०, १२/१२/३४१, १२/१२/३४२, १२/१२/३४३, १२/१२/३४४, १२/१२/३४५, १२/१२/३४६, १२/१२/३४७, १२/१२/३४८, १२/१२/३४९, १२/१२/३५०, १२/१२/३५१, १२/१२/३५२, १२/१२/३५३, १२/१२/३५४, १२/१२/३५५, १२/१२/३५६, १२/१२/३५७, १२/१२/३५८, १२/१२/३५९, १२/१२/३६०, १२/१२/३६१, १२/१२/३६२, १२/१२/३६३, १२/१२/३६४, १२/१२/३६५, १२/१२/३६६, १२/१२/३६७, १२/१२/३६८, १२/१२/३६९, १२/१२/३७०, १२/१२/३७१, १२/१२/३७२, १२/१२/३७३, १२/१२/३७४, १२/१२/३७५, १२/१२/३७६, १२/१२/३७७, १२/१२/३७८, १२/१२/३७९, १२/१२/३८०, १२/१२/३८१, १२/१२/३८२, १२/१२/३८३, १२/१२/३८४, १२/१२/३८५, १२/१२/३८६, १२/१२/३८७, १२/१२/३८८, १२/१२/३८९, १२/१२/३९०, १२/१२/३९१, १२/१२/३९२, १२/१२/३९३, १२/१२/३९४, १२/१२/३९५, १२/१२/३९६, १२/१२/३९७, १२/१२/३९८, १२/१२/३९९, १२/१२/४००, १२/१२/४०१, १२/१२/४०२, १२/१२/४०३, १२/१२/४०४, १२/१२/४०५, १२/१२/४०६, १२/१२/४०७, १२/१२/४०८, १२/१२/४०९, १२/१२/४१०, १२/१२/४११, १२/१२/४१२, १२/१२/४१३, १२/१२/४१४, १२/१२/४१५, १२/१२/४१६, १२/१२/४१७, १२/१२/४१८, १२/१२/४१९, १२/१२/४२०, १२/१२/४२१, १२/१२/४२२, १२/१२/४२३, १२/१२/४२४, १२/१२/४२५, १२/१२/४२६, १२/१२/४२७, १२/१२/४२८, १२/१२/४२९, १२/१२/४३०, १२/१२/४३१, १२/१२/४३२, १२/१२/४३३, १२/१२/४३४, १२/१२/४३५, १२/१२/४३६, १२/१२/४३७, १२/१२/४३८, १२/१२/४३९, १२/१२/४४०, १२/१२/४४१, १२/१२/४४२, १२/१२/४४३, १२/१२/४४४, १२/१२/४४५, १२/१२/४४६, १२/१२/४४७, १२/१२/४४८, १२/१२/४४९, १२/१२/४५०, १२/१२/४५१, १२/१२/४५२, १२/१२/४५३, १२/१२/४५४, १२/१२/४५५, १२/१२/४५६, १२/१२/४५७, १२/१२/४५८, १२/१२/४५९, १२/१२/४६०, १२/१२/४६१, १२/१२/४६२, १२/१२/४६३, १२/१२/४६४, १२/१२/४६५, १२/१२/४६६, १२/१२/४६७, १२/१२/४६८, १२/१२/४६९, १२/१२/४७०, १२/१२/४७१, १२/१२/४७२, १२/१२/४७३, १२/१२/४७४, १२/१२/४७५, १२/१२/४७६, १२/१२/४७७, १२/१२/४७८, १२/१२/४७९, १२/१२/४८०, १२/१२/४८१, १२/१२/४८२, १२/१२/४८३, १२/१२/४८४, १२/१२/४८५, १२/१२/४८६, १२/१२/४८७, १२/१२/४८८, १२/१२/४८९, १२/१२/४९०, १२/१२/४९१, १२/१२/४९२, १२/१२/४९३, १२/१२/४९४, १२/१२/४९५, १२/१२/४९६, १२/१२/४९७, १२/१२/४९८, १२/१२/४९९, १२/१२/५००, १२/१२/५०१, १२/१२/५०२, १२/१२/५०३, १२/१२/५०४, १२/१२/५०५, १२/१२/५०६, १२/१२/५०७, १२/१२/५०८, १२/१२/५०९, १२/१२/५१०, १२/१२/५११, १२/१२/५१२, १२/१२/५१३, १२/१२/५१४, १२/१२/५१५, १२/१२/५१६, १२/१२/५१७, १२/१२/५१८, १२/१२/५१९, १२/१२/५२०, १२/१२/५२१, १२/१२/५२२, १२/१२/५२३, १२/१२/५२४, १२/१२/५२५, १२/१२/५२६, १२/१२/५२७, १२/१२/५२८, १२/१२/५२९, १२/१२/५३०, १२/१२/५३१, १२/१२/५३२, १२/१२/५३३, १२/१२/५३४, १२/१२/५३५, १२/१२/५३६, १२/१२/५३७, १२/१२/५३८, १२/१२/५३९, १२/१२/५४०, १२/१२/५४१, १२/१२/५४२, १२/१२/५४३, १२/१२/५४४, १२/१२/५४५, १२/१२/५४६, १२/१२/५४७, १२/१२/५४८, १२/१२/५४९, १२/१२/५५०, १२/१२/५५१, १२/१२/५५२, १२/१२/५५३, १२/१२/५५४, १२/१२/५५५, १२/१२/५५६, १२/१२/५५७, १२/१२/५५८, १२/१२/५५९, १२/१२/५६०, १२/१२/५६१, १२/१२/५६२, १२/१२/५६३, १२/१२/५६४, १२/१२/५६५, १२/१२/५६६, १२/१२/५६७, १२/१२/५६८, १२/१२/५६९, १२/१२/५७०, १२/१२/५७१, १२/१२/५७२, १२/१२/५७३, १२/१२/५७४, १२/१२/५७५, १२/१२/५७६, १२/१२/५७७, १२/१२/५७८, १२/१२/५७९, १२/१२/५८०, १



KUMAR KERING DEVELOPERS LLP

Kumar Kering, 2413, Post Street, Camp, Pune - 411 001. Ph. No. 020 30528888, 30583635. Fax : 020 2611 3655
Website : www.kumarworld.com Email ID : contact@kumarworld.com LLPIN : AAG-0957

Date: 07/10/2020

To,
Executive Engineer,
Building Control Department,
PMC, Pune

Subject – Regarding submission of Environment Clearance copy of 'Residential Group Housing Schemes' is being developed by Kumar Kering Developers LLP (Formerly; Kumar Kering Properties Pvt. Ltd.)

Dear Sir,

Kumar Kering Developers LLP (Formerly; Kumar Kering Properties Pvt. Ltd.) is developing a residential project at S. no. 12(p), 13 (p), Village Undri, Pune. The project has received Environment Clearance from State Environment Impact Assessment Authority (SEIAA) vide no. SEAC-2010/CR-776/TC-2 dated 25/07/2013 and received integrated Environmental conditions from PMRDA vide no. BHA/Mouje Undri/S.no. 12(p), 13(p)/Pra. Kra. 653/17-18 dated 16/10/2017. As per condition (LI) given in clearance letter of SEIAA, we are herewith submitting Environment Clearance letter for your reference.

This is for your information and record.

Thank you.
Yours Faithfully,

For, Kumar Kering Developers LLP
(Formerly; Kumar Kering Properties Pvt. Ltd.)

ANNEXURE

1. Environment Clearance received from SEIAA
2. Integrated Environmental Conditions received from PMRDA

9219012224
शुद्ध अविरोध कार्यालय
पुणे महानगरपालिका
वा.वि.वि.
जोन क्रं. ३

**FORM V**

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2022**Unique Application Number**

MPCB-ENVIRONMENT_STATEMENT-0000050946

Submitted Date

19-10-2022

PART A**Company Information****Company Name**

Kumar Kering Developers LLP

Application UAN number

MPCB-CONSENT-0000068877

AddressKumar Capital, 2413, East Street,
Camp, Pune**Plot no**

S. No. 12 (P), 13 (P)

Taluka

Haveli

Village

Undri

Capital Investment (In lakhs)

11379

Scale

Large Scale

City

Pune

Pincode

411025

Person Name

Shri Samir Patil

Designation

Manager- Sustainable Development

Telephone Number

9011009240

Fax Number**Email**

moef1@kumarworld.com

Region

SRO-Pune II

Industry Category

Orange

Industry TypeO21 Building and construction project
more than 20,000 sq. m built up area**Last Environmental statement
submitted online**

yes

Consent Number

Format 1.0/BO/JD(WPC)/UAN-068877/CE/CC-1909000442

Consent Issue Date

2019-09-16

Consent Valid Upto

2024-09-15

Establishment Year

2019

**Date of last environment
statement submitted**

Oct 20 2021 12:00:00:000AM

**Industry Category Primary (STC
Code) & Secondary (STC Code)****Product Information****Product Name**

NA

Consent Quantity

0

Actual Quantity

0

UOM

CMD

By-product Information**By Product Name**

NA

Consent Quantity

0

Actual Quantity

0

UOM

CMD

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
	0.00	0.00
Cooling	0.00	0.00
Domestic	766.00	0.00
All others	0.00	0.00
Total	766.00	0.00

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Domestic Effluent	600	0	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
NA	0	0	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
NA	0	0	CMD

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
HSD	54.65	0	CMD

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
Domestic Effluent	0	0	-	-	-

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/NM3) Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
Total Particulate Matter	0	0	-	-	-

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	CMD

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	CMD

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
NA	0	0	CMD

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Wet Waste	10950	21900	Kg/Annum

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	CMD

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
0	0	CMD	NA

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
NA	0	CMD	-

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
Water Fixtures	3.375	0	0	0	0	0.086
Solar Water heater	0	0	0	30937.5	0	2.78

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
---	-----------------------------------	----------------------------

Water for dust suppression	Prevent air pollution within construction site	3.5
Site sanitation & Safety	Provide workers Hygienic & safe environment to work.	7.41
Environment Monitoring	To monitor the environmental parameters.	0.85
Disinfection	Maintain hygiene of work place	0.96
Health Check up	To check health of worker on site.	0.75
Rain water Harvesting	Collect the rain water within the rooftop for recharging Ground water level.	1.84
Solid waste Management	To treat wet waste in OWC and use as Manure.	12.32
Green Belt Development	To control air pollution and provide acoustic cover to area.	5.52
Barrication	To avoid harm to the surrounding people and environment	0.2
Fire Fighting system	To protect the Environment and people from fire	90.65
STP	To treat generated sewage	170.55

[B] Investment Proposed for next Year

<i>Detail of measures for Environmental Protection</i>	<i>Environmental Protection Measures</i>	<i>Capital Investment (Lacks)</i>
Water for dust suppression	Prevent air pollution within construction site	3.5
Site sanitation & Safety	Provide workers Hygienic & safe environment to work.	2
Environment Monitoring	To monitor the environmental parameters.	0.85
Disinfection	Maintain hygiene of work place	0.96
Health Check up	To check health of worker on site.	0.75
Rain water Harvesting	Collect the rain water within the rooftop for recharging Ground water level.	1.84
Solid waste Management	To treat wet waste in OWC and use as Manure.	1.56
Green Belt Development	To control air pollution and provide acoustic cover to area.	5.15
Barrication	To avoid harm to the surrounding people and environment	0.2
Fire Fighting	To protect the environment from fire	50

Part-I

Any other particulars for improving the quality of the environment.

Particulars

NA

Name & Designation

Mr. Samir Patil, Manager-Sustainable Development

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000050946

Submitted On:

19-10-2022

To,

Pune.

Subject: Waste Management System Installation Certificate

Respected Sir/Madam,

As per municipal solid waste (Management & Handling) Rules 2000, we have implemented Compost project at:

Kumar Palmsprings, Pune

Total Number of tenements: 30 nos. of Bungalows


Parees Automatic Organic Waste Converter 50 kg/day capacity

We hereby certify that above system is installed and in working condition for total tenements.

Thanking you,



For, One in All Maintenance & Services


Proprietor